## APPENDIX 128B

## UNITIZATION PROCEDURES FOR BOXED AMMUNITION AND COMPONENTS ON 4-WAY ENTRY PALLETS


FIRING DEVICE, DEMOLITION, MI, PACKED 450 PER WOODEN BOX, UNITIZED 36 BOXES PER 35" X  $45\frac{1}{2}$ " PALLET; APPROX BOX SIZE  $16\frac{1}{8}$ " L X  $14\frac{1}{8}$ " W X  $8\frac{3}{4}$ " H

PALLET UNIT DATA								
ITEMS INCLUDED		HAZARD CLASSIFICATION <sup>®</sup>				WEIGHT		
NSN	DODIC	DOT CLASS	CG CLASS	QD CLASS	COMP GROUP	(LBS)		
1375- 00-813-7154 00-813-7156 00-814-3419	M623	C C C	I I I	1. 4 1. 4 1. 4	S S S	2, 088 2, 088 2, 088		

NOTICE: THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002.

● HAZARD CLASSIFICATION DATA CONTAINED IN THE ABOVE CHART IS FOR GUIDANCE AND INFORMATIONAL PURPOSES ONLY. VERIFICATION OF THE SPECIFIED DATA SHOULD BE MADE BY CONSULTING THE MOST RECENT JOINT HAZARD CLASSIFICATION SYSTEM LISTING OR OTHER APPROVED LISTING(S).

DO NOT SCALE



30 BOXES OF FIRMAG DEVICE ( \$30 FER BOX ) @ 30 EBS			
DUNNAGE	- 7	LBS	
PALLET	- 65	LBS	
TOTAL WEIGHTCUBE			


BOYES OF FIRING DEVICE ( 450 PER BOY ) @ 54 LRS ------ 2 036 LRS ( APPROX )


## GENERAL NOTES

- A. THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CON-JUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002. TO PRODUCE AN APPROVED UNIT LOAD, ALL PERTINENT PROCEDURES, SPECIFICATIONS AND CRITERIA SET FORTH WITHIN THE BASIC DRAWING WILL APPLY TO THE PROCEDURES DELINEATED IN THIS APPENDIX. ANY EXCEPTIONS TO THE BASIC PROCEDURES ARE SPECIFIED IN THIS APPENDIX.
- B. DIMENSIONS, CUBE AND WEIGHT OF A PALLET UNIT WILL VARY SLIGHTLY DEPENDING UPON THE ACTUAL DIMENSIONS OF THE BOXES AND THE WEIGHT OF THE SPECIFIC ITEM BEING UNITIZED.
- C. INSTALL EACH HORIZONTAL STRAP TO ENCIRCLE A LAYER OF BOXES ON THE PALLET. HORIZONTAL STRAPS MUST BE TENSIONED AND SEALED PRIOR TO APPLICATION OF TIEDOWN STRAPS.
- D. INSTALL EACH TIEDOWN STRAP TO PASS UNDER THE TOP DECK BOARDS OF THE PALLET AND TO BE LOCATED AS SHOWN, TIEDOWN STRAPS WILL NOT BE APPLIED UNTIL THE HORIZONTAL STRAPS HAVE BEEN TENSIONED AND SFAIFD.
- E. THE FOLLOWING DARCOM DRAWINGS ARE APPLICABLE FOR OUTLOADING AND STORAGE OF THE ITEMS COVERED BY THIS APPENDIX.

CARLOADING	DRAWING 19-48-4115-5PA1002
TRUCKLOADING	DRAWING 19-48-4117-11PA 1003
STORAGE	DRAWING 19-48-4118-1-2-3-4-14-
	22PA 1002

- F. FOR METHOD OF SECURING A STRAP CUTTER TO THE PALLET UNIT, SEE DARCOM DRAWING 19-48-4127-2091000.
- G. IF ITEMS COVERED HEREIN ARE UNITIZED PRIOR TO ISSUANCE OF THIS APPENDIX, THE BOXES NEED NOT BE REUNITIZED SOLELY TO CONFORM TO THIS APPENDIX
- H. THE UNITIZATION PROCEDURES DEPICTED HEREIN MAY ALSO BE USED FOR UNITIZING FIRING DEVICES WHEN IDENTIFIED BY DIFFERENT NATIONAL STOCK NUMBERS (NSN) THAN WHAT IS SHOWN ON THE TITLE PAGE, PROVIDED THE BOX PACK DOES NOT VARY FROM WHAT IS DELINEATED HEREIN. THE EXPLOSIVE CLASSIFICATION OF OTHER ITEMS MAY BE DIFFERENT THAN WHAT IS SHOWN.
- J. WHEN THE UNIT LOAD DEPICTED AT LEFT IS TO BE USED FOR UNITIZING MARINE CORPS AMMUNITION, ONE LAYER OF BOXES MUST BE OMITTED, TIEDOWN STRAP LENGTHS MUST BE DECREASED TO 11'-8", AND ONE HORIZONTAL STRAP WILL BE DELETED. THIS WILL RESULT IN AN OVERALL UNIT HEIGHT OF 33-3/4", A GROSS UNIT WEIGHT OF 1,414 POUNDS, AND A UNIT CUBE OF 33.1 CUBIC FEET. ADDITIONALLY, THE UNIT LOAD MAY BE MODIFIED AS DESCRIBED WHEN BEING SHIPPED BY MILVAN OR COMMERCIAL INTERMODAL FREIGHT CONTAINER, CONVENTIONAL VAN TRAILER OR CONVENTIONAL OR HIGH-CAPACITY BOXCAR. THE DETERMINATION TO REDUCE THE LOAD BY A LAYER FOR TRANSPORTATION WILL BE MADE BY THE RESPONSIBLE COMMAND AND WILL BE BASED UPON ECONOMICS OF TRANSPORTATION AND HANDLING.





STRAP BEARING PIECE, 1" X 4" X BOX HEIGHT MINUS 3" (AS REQD). NAIL TO VERTICAL PIECES W/2-6d NAILS AT EACH END. NOTE: WHEN A UNIT HAS MORE THAN SIX (6') BOXES OMITTED, THE FILLER. ASSEMBLY OR ASSEMBLIES LOCATED IN AN OUTER STACK ON THE 95" SIDE OR SIDES OF THE PALLET WILL REQUIRE A "STRAP BEARING PIECE" POSITIONED UNDER THE HORIZONTAL STRAP. STAPLE STRAP TO ."STRAP BEARING PIECE".

— LATERAL PIECE, 2" X 4" X BOX HEIGHT MINUS 3" (4 REQD), NAIL TO VERTICAL PIECES W/2-10d NAILS AT EACH END,

## FILLER ASSEMBLY

(FOR MINUS ONE BOX)

PAGE 2