APPENDIX 43R

UNITIZATION PROCEDURES FOR BOXED AMMUNITION AND COMPONENTS ON 4-WAY ENTRY PALLETS


CANISTER LOADING ASSEMBLY FOR CARTRIDGE 81MM, PACKED 20 PER M548 METAL BOX, UNITIZED 24 BOXES PER 40" X 48" PALLET; APPROX BOX SIZE 18-19/32" L X 8-19/64" W X 14-19/32" H

NOTICE: THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002.

DISTORDITION STATEMENT A						
APPROVED FOR PUBLIC RELEASE:	U.S. ARMY MATERIEL COMMAND DRAWING					
DISTRIBUTION IS UNLIMITED.	APPROVED, U.S. ARMY INDUSTRIAL OPERATIONS		DRAFTSMAN		BETTY J. KUNDERT	
			ENGINEER		JOHN SURDYK	
	David a Riskork	July	SUPPLY ENGI		TRANSPORTATION ENGINEERING DIVISION	VALIDATION ENGINEERING DIVISION
	AMSTA-AR-ESK	LMT-OIEMA	T.J. Mr.	theh u	J. Frence	4XHXerby
	APPROVED BY ORDER OF COMMANDING GENERAL, U.S. ARMY MATERIEL COMMAND **THE COMMAND C		William & Einst			
			JULY 1996			
	U.S. ARMY DEFENSE AMMU	NITION CENTER AND SCHOOL	CLASS	NOIZIVIO	DRAWING	FILE
DO NOT SCALE			19	48	4116/ 43R	20PA 1002

	PALLET UNIT DATA								
	ITEMS INCL	.UDED	HAZARD CLASS AND DIVISION		1.0000V				
	NZN	DODIC	OD CLASS	COMP GROUP	APPROX WEIGHT LBS				
•	1315- 01-418-4738 01-418-4739		1.3 1.3	٥٥	1,866 1,866				

HAZARD CLASSIFICATION DATA CONTAINED IN THE ABOVE CHART IS FOR GUIDANCE AND INFORMATIONAL PURPOSES ONLY. VERTFICATION OF THE SPECIFIED DATA SHOULD BE MADE BY CONSULTING THE MOST RECENT JOINT HAZARD CLASSIFICATION SYSTEM LISTING OR OTHER APPROVED LISTING(S).



PALLET UNIT

SEE GENERAL NOTE "B" AT RIGHT

TOTAL WEIGHT - - - - - - - - - - - - - - 1,866 LBS (APPROX)

CUBE - - - - - - - 40.4 CU FT (APPROX)


GENERAL NOTES

- A. THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4116-20PA1002. TO PRODUCE AN APPROVED UNIT LOAD, ALL PERTINENT PROCEDURES, SPECIFICATIONS AND CRITERIA SET FORTH WITHIN THE BASIC DRAWING WILL APPLY TO THE PROCEDURES DELINEATED IN THIS APPENDIX. ANY EXCEPTIONS TO THE BASIC PROCEDURES ARE SPECIFIED IN THIS APPENDIX.
- B. DIMENSIONS, CUBE AND WEIGHT OF A PALLET UNIT WILL VARY SLIGHTLY DEPENDING UPON THE ACTUAL DIMENSIONS OF THE BOXES AND THE WEIGHT OF THE SPECIFIC ITEM BEING UNITIZED.
- C. INSTALL THE HORIZONTAL STRAP TO ENCIRCLE THE TOP LAYER OF BOXES ON THE PALLET. NOTE THAT THE STRAP WILL BE LOCATED AS SHOWN, ALIGNED WITH THE HORIZONTAL PIECE OF THE "SUPPORT GATE". HORIZONTAL STRAP MUST BE TENSIONED AND SEALED PRIOR TO THE APPLICATION OF TIEDOWN AND LOAD STRAPS.
- D. THE LOAD STRAPS MAY BE THREADED THROUGH THE STRAP SLOTS OF A PALLET OR PRE-POSITIONED ON THE PALLET DECK PRIOR TO PLACING BOXES ON THE PALLET. LOAD STRAPS MUST BE TENSIONED AND SEALED PRIOR TO APPLICATION OF TIEDOWN STRAPS.
- E. INSTALL EACH TIEDOWN STRAP TO PASS UNDER THE TOP DECK BOARDS OF THE PALLET AND TO BE LOCATED AS SHOWN, ALIGNED WITH THE VERTICAL PIECES OF THE "SUPPORT GATE". TIEDOWN STRAPS WILL NOT BE APPLIED UNTIL THE LOAD AND HORIZONTAL STRAPS HAVE BEEN TENSIONED AND SEALED.
- F. THE FOLLOWING AMC DRAWINGS ARE APPLICABLE FOR OUTLOADING AND STORAGE OF THE ITEMS COVERED BY THIS APPENDIX.

CARLOADING - - - 19-48-4115-5PA1002 TRUCKLOADING - - 19-48-4117-11PA1003 STORAGE - - - 19-48-4118-1-2-3-4-14-22PA1002 END OPENING ISO CONTAINER - - - 19-48-4153-15PA1002 MILVAN - - - - 19-48-4166-15PA1003 SIDE OPENING ISO CONTAINER - - - 19-48-4267-15PA1009


- G. IF ITEMS COVERED HEREIN ARE UNITIZED PRIOR TO ISSUANCE OF THIS APPENDIX, THE BOXES NEED NOT BE REUNITIZED SOLELY TO CONFORM TO THIS APPENDIX.
- H. THE UNITIZATION PROCEDURES DEPICTED HEREIN MAY ALSO BE USED FOR UNITIZING CANISTER LOADING ASSEMBLIES WHEN IDENTIFIED BY DIFFERENT NATIONAL STOCK NUMBERS (NSN.) THAN WHAT IS SHOWN ON PAGE 2, PROVIDED THE BOX PACK DOES NOT VARY FROM WHAT IS DELINEATED HEREIN. THE EXPLOSIVE CLASSIFICATION OF OTHER ITEMS MAY BE DIFFERENT THAN WHAT IS SHOWN.
- J. THE STYLE 1 PALLET DELINEATED IN THE DETAIL AT LEFT NEED NOT HAVE CHAMMERS OR STRAP SLOTS AS SPECIFIED WITHIN MILITARY SPECIFICATION MIL-P-15011 WHEN USED FOR THE UNITIZATION OF ITEMS COVERED BY THIS APPENDIX.
- K. ALL DUNNAGE SHALL BE PRESERVATIVE TREATED IN ACCORDANCE WITH GENERAL NOTE "AA" IN THE BASIC PROCEDURES.

BILL OF MATERIAL						
LUMBER	LINEAR FEET	BOARD FEET				
1" X 4" 2" X 6"	16.00 19.00	5.33 19.00				
NAILS	NO. REOD	POUNDS				
6d(2")	48	0.28				
PALLET, 40" X 48" 1 REOD 80 LBS STEEL STRAPPING, 3/4" - 95.00' REOD 8.48 LBS SEAL FOR 3/4" STRAPPING - 7 REOD NIL						



FILLER ASSEMBLY

(FOR MINUS ONE BOX)



SUPPORT GATE

(2 REQD)