

APPENDIX 86A

UNITIZATION PROCEDURES FOR BOXED AMMUNITION AND COMPONENTS ON SKIDDED BASES

MINE, ANTITANK, HE, PACKED 4 PER WIREBOUND BOX, UNITIZED 6 BOXES PER TYPE II SKID BASE; APPROX BOX SIZE $32\frac{1}{8}$ " L X $16\frac{1}{8}$ " W X 13" H

SKIDDED UNIT DATA						
ITEMS INCLUDED		HAZARD CLASSIFICATION ①				WEIGHT (LBS)
NSN	DODIC	DOT CLASS	CG CLASS	QD CLASS	COMP GROUP	
1345-00-849-9768	K250	A	VII	1.1	D	790
01-054-8874	K250	A	VII	1.1	D	790

① HAZARD CLASSIFICATION DATA CONTAINED IN THE ABOVE CHART IS FOR GUIDANCE AND INFORMATIONAL PURPOSES ONLY. VERIFICATION OF THE SPECIFIED DATA SHOULD BE MADE BY CONSULTING THE MOST RECENT JOINT HAZARD CLASSIFICATION SYSTEM LISTING OR OTHER APPROVED LISTING(S).

NOTICE: THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4138-20PA1000.


REVISION

REVISION NO. 1, DATED NOVEMBER 1983, CONSISTS OF:

1. ADDING ITEM BY NATIONAL STOCK NUMBER TO THE "SKIDDED UNIT DATA CHART".

DO NOT SCALE

REVISIONS		DRAFTSMAN	PROJ ENG
I	NOV 83	<i>RSK/GRG</i>	<i>RWD/AMC</i>
		CHECKER	LOG ENGRG OFFICE
		<i>RSK/GRG</i>	<i>Qul/Syrd</i>
APPROVED, U. S. ARMY ARMAMENT MATERIEL READINESS COMMAND			
		<i>RHK/ston</i>	<i>Daniel C. Fetter</i>
DRSAR-MAD DRSAR-TWO			
APPROVED BY ORDER OF COMMANDING GENERAL, U. S. ARMY MATERIEL DEVELOPMENT AND READINESS COMMAND (DARCOM)			
<i>Qul/Syrd</i>			
U. S. ARMY DEFENSE AMMUNITION CENTER AND SCHOOL			
U. S. ARMY DARCOM DRAWING			
JANUARY 1980			
CLASS	DIVISION	DRAWING	FILE
19	48	4138/86A	20PA 1000



SKIDDED UNIT

SEE GENERAL NOTE "B" AT RIGHT.

6 BOXES (ANTITANK MINE; 4 PER BOX) @ 124 LBS ----- 744 LBS (APPROX)
 DUNNAGE ----- 4 LBS
 SKID BASE ----- 42 LBS


TOTAL WEIGHT ----- 790 LBS (APPROX)
 CUBE ----- 27.9 CU FT (APPROX)

BILL OF MATERIAL			
TYPE II SKID BASE, 32" W X 48" L	1 REQD	-----	42 LBS
STEEL STRAPPING, 3/4"	53.67 REQD	-----	3.83 LBS
SEAL FOR 3/4" STRAPPING	4 REQD	-----	NIL

GENERAL NOTES

- A. THIS APPENDIX CANNOT STAND ALONE BUT MUST BE USED IN CONJUNCTION WITH THE BASIC UNITIZATION PROCEDURES DRAWING 19-48-4138-20PA1000. TO PRODUCE AN APPROVED UNIT LOAD, ALL PERTINENT PROCEDURES, SPECIFICATIONS AND CRITERIA SET FORTH WITHIN THE BASIC DRAWING WILL APPLY TO THE PROCEDURES DELINEATED IN THIS APPENDIX. ANY EXCEPTIONS TO THE BASIC PROCEDURES ARE SPECIFIED IN THIS APPENDIX.
- B. DIMENSIONS, CUBE AND WEIGHT OF A SKIDDED UNIT WILL VARY SLIGHTLY DEPENDING UPON THE ACTUAL DIMENSIONS OF THE BOXES AND THE WEIGHT OF THE SPECIFIC ITEM BEING UNITIZED.
- C. ONLY A TYPE II SKID BASE WILL BE USED TO ASSEMBLE THIS UNIT. THE "W" DIMENSION OF THE SKID BASE WILL BE 32" AND THE "L" DIMENSION WILL BE 48". NOTE: A TYPE I SKID BASE IS NOT APPROVED FOR USE IN UNITIZING THIS ITEM.
- D. WHEN A FILLER ASSEMBLY IS USED IN A UNIT LOAD, THE TIEDOWN STRAPS WILL BE STAPLED TO THE TOP LONGITUDINAL PIECES OF THE ASSEMBLY.
- E. THE FOLLOWING DARCOM DRAWINGS ARE APPLICABLE FOR OUTLOADING AND STORAGE OF THE ITEMS COVERED BY THIS APPENDIX.

CARLOADING -----	DRAWING 19-48-4123-5PA1003
TRUCKLOADING -----	DRAWING 19-48-4124-11PA1004
STORAGE -----	DRAWING 19-48-4125-1-2-3-4-14-22PA1003
- F. FOR METHOD OF SECURING A STRAP CUTTER TO THE SKIDDED UNIT, SEE DARCOM DRAWING 19-48-4127-20P1000.
- G. IF ITEMS COVERED HEREIN ARE UNITIZED PRIOR TO ISSUANCE OF THIS APPENDIX, THE BOXES NEED NOT BE REUNITIZED SOLELY TO CONFORM TO THIS APPENDIX.
- H. THE UNITIZATION PROCEDURES DEPICTED HEREIN MAY ALSO BE USED FOR UNITIZING ANTITANK MINES WHEN IDENTIFIED BY DIFFERENT NATIONAL STOCK NUMBERS (NSN) THAN WHAT IS SHOWN ON THE TITLE PAGE, PROVIDED THE BOX PACK DOES NOT VARY FROM WHAT IS DELINEATED HEREIN. THE EXPLOSIVE CLASSIFICATION OF OTHER ITEMS MAY BE DIFFERENT THAN WHAT IS SHOWN.



FILLER ASSEMBLY

(SEE GENERAL NOTE "D" AT RIGHT)