

STORAGE IN 100' LONG BY 50' WIDE RECTANGULAR MAGAZINES OF PALLETIZED PROPELLING CHARGES

INDEX

| <u>ITEM</u> | <u>PAGE (S)</u> |
|--|-----------------|
| GENERAL NOTES, AND MATERIAL SPECIFICATIONS ----- | 2 |
| ITEMIZED INDEX ----- | 3, 58 |
| STORAGE DETAILS ----- | 4-41 |
| TYPICAL MULTIPLE-LOT STORAGE PROCEDURES ----- | 43 |
| PALLET UNIT DETAILS ----- | 44-56 |

THIS DRAWING SUPERSEDES U. S. ARMY
DARCOM DRAWING 19-48-4144/8-3PM1000,
DATED AUGUST 1979, AND THE REVISION
THERETO.

DO NOT SCALE

| REVISIONS | | DESIGNER | TYPIST | CHECKER | TECHNICIAN | ENGINEER |
|-----------|--------|---|-----------|------------|-----------------|----------|
| | | <i>DA</i> | <i>JM</i> | <i>P3B</i> | <i>R. Amell</i> | |
| 2 | JAN 90 | <i>DA</i> | <i>DA</i> | <i>DA</i> | <i>W. Ernst</i> | |
| | | <i>DA</i> | <i>DA</i> | <i>DA</i> | <i>DA</i> | |
| | | <i>DA</i> | <i>DA</i> | <i>DA</i> | <i>DA</i> | |
| | | <i>DA</i> | <i>DA</i> | <i>DA</i> | <i>DA</i> | |
| | | <i>DA</i> | <i>DA</i> | <i>DA</i> | <i>DA</i> | |
| | | APPROVED BY ORDER OF COMMANDING GENERAL, U.S. ARMY MATERIEL COMMAND (AMC) <i>DA</i> U.S. ARMY DEFENSE AMMUNITION CENTER AND SCHOOL | | | | |
| | | U.S. ARMY MATERIEL COMMAND | | | | |
| | | JANUARY 1990 | | | | |
| | | CLASS | DIVISION | DRAWING | FILE | |
| | | 19 | 48 | 4144/8 | 3PM 1000 | |

GENERAL NOTES

- A. THIS DOCUMENT HAS BEEN PREPARED AND ISSUED IN ACCORDANCE WITH AR 740-1, AND AUGMENTS TM 743-200-1 (CHAPTER 5).
- B. THE STORAGE PROCEDURES DEPICTED WITHIN THIS DOCUMENT ARE APPLICABLE FOR STORAGE OF PALLETIZED PROPELLING CHARGES IN 100'-8" LONG BY 50'-0" WIDE RECTANGULAR MAGAZINES. THE STORAGE PROCEDURES DEPICTED MAY ALSO BE UTILIZED TO STORE PROPELLING CHARGE PALLET UNITS IN OTHER SIMILAR TYPES OF APPROVED MAGAZINES. MINOR ADJUSTMENTS MAY BE MADE TO FACILITATE STORAGE IN OTHER TYPES OF MAGAZINES, HOWEVER, THE BASIC PRINCIPLES AS DEPICTED HEREIN WILL BE FOLLOWED.
- C. CAUTION: THE ALLOWABLE "EXPLOSIVE LIMIT" ESTABLISHED FOR A MAGAZINE IS NOT TO BE EXCEEDED.
- D. STORED PALLET UNITS MUST NOT CONTACT THE WALLS OF A MAGAZINE. A MINIMUM OF THREE INCHES (3") WILL BE ALLOWED BETWEEN A SIDE WALL AND THE STORED PALLET UNITS. A MINIMUM OF SIX INCHES (6") WILL BE ALLOWED BETWEEN THE REAR WALL AND THE UNITS. CLEARANCE IS NOT REQUIRED BETWEEN THE STORED UNITS AND THE BUILDING COLUMNS.
- E. AISLE DIMENSIONS SHOWN FOR STORAGE IN MAGAZINES MAY BE ADJUSTED TO SUIT LOCAL CONDITIONS, VARIATIONS IN PALLET DIMENSIONS, AND/OR AVAILABLE MATERIALS HANDLING EQUIPMENT.
- F. THE USE OF "FLOOR DUNNAGE" UNDER METAL PALLET'S IS OPTIONAL, ALTHOUGH THE USE OF THIS TYPE OF DUNNAGE IS DELINEATED WITHIN THIS STORAGE PROCEDURE DRAWING. THE PURPOSE OF FLOOR DUNNAGE IS TO HELP KEEP THE RUNNERS OF A PALLET UNIT DRY, THUS AIDING IN PREVENTING DETERIORATION DUE TO OXIDATION (RUSTING). THEREFORE, FLOOR DUNNAGE SHOULD BE USED WHEN STORING IN A MAGAZINE THAT IS KNOWN TO HAVE A "DAMP" FLOOR. ALSO, IN LIEU OF USING ONE-INCH THICK FLOOR DUNNAGE AS SPECIFIED, THE USE OF THICKER FLOOR DUNNAGE MAY BE REQUIRED, AND SHOULD BE USED, TO ACHIEVE THE DESIRED OBJECTIVE. SEE THE "FLOOR DUNNAGE LOCATION DETAIL" ON PAGE 4 FOR A TYPICAL INSTALLATION.
- G. THE ARROWS ON THE PLAN VIEWS HEREIN INDICATE THE DIRECTION OF STORAGE FROM THE SIDE WALLS AND/OR CENTER AREA TOWARD THE MHE AISLE OF A MAGAZINE, OR WITHIN THE MHE AISLE FROM THE REAR WALL TOWARD THE DOOR OPENINGS. PALLET UNITS STORED ALONG THE REAR WALL, AS WELL AS SOME UNITS POSITIONED AT RIGHT ANGLES TO THE MHE AISLE NEAR THE TEN BUILDING COLUMNS, NEED NOT BE STORED IN THE DIRECTION INDICATED BY THE "DIRECTION OF STORAGE" ARROWS IF THE LIFTED PALLET UNITS WILL CLEAR THE ROOF SUPPORT CAPS AT THE TOP OF THE COLUMNS, AND THOSE WITHIN THE REAR WALL (IF PRESENT).
- H. IF AVAILABLE MHE PERMITS, ADDITIONAL PALLETIZED UNITS MAY BE STORED WITHIN THE MHE AREAS AND/OR OTHER AVAILABLE AREAS OF A MAGAZINE.
- J. THE HEIGHT OF THE PACKAGE GUARD ON SOME FORKLIFT TRUCKS MAY NOT PERMIT PLACEMENT OF SOME TOP LAYER UNITS IN THE STacks SHOWN IN THE STORAGE VIEWS HEREIN, UNLESS TWO UPPER PALLET UNITS ARE HANDLED AS ONE LIFT OR THE PACKAGE GUARD IS REMOVED (TINE CARRIAGE WILL IN MOST INSTANCES PROVIDE ADEQUATE PACKAGE GUARD PROTECTION). ONLY A FORKLIFT OF ADEQUATE CAPACITY WILL BE USED WHEN LIFTING TWO PALLET UNITS AS ONE LIFT.
- K. THE STORAGE DETAILS WITHIN THIS DRAWING DEPICT SOME PLAN VIEWS HAVING A ROW OF PALLET UNITS POSITIONED SO AS TO BE CENTERED ON THE LONGITUDINAL CENTER LINE OF THE MAGAZINE. THE QUANTITY OF PALLET UNITS SPECIFIED BY THE "STORAGE AS SHOWN" FOR A 1/2 MAGAZINE FOR THOSE MAGAZINES DOES NOT INCLUDE THE PALLET UNITS IN THIS CENTERED ROW; THESE CENTERED UNITS ARE INCLUDED IN THE QUANTITY SHOWN FOR A FULL MAGAZINE.
- L. THE PROCEDURES WITHIN THIS DRAWING DEPICT THE STORAGE OF ONLY ONE LOT PER MAGAZINE OF ONE PALLET UNIT ITEM. HOWEVER, MORE THAN ONE LOT OF AN ITEM MAY BE STORED, AS TYPICALLY SHOWN ON PAGE 49, OR OTHER PROPELLING CHARGE ITEMS MAY BE STORED IN THE SAME MAGAZINE.
- M. STORAGE OF MULTIPLE LOTS IN A MAGAZINE WILL REQUIRE CAREFUL PREPLANNING SO AS TO INSURE MHE ACCESSIBILITY TO ANY LOT IN ACCORDANCE WITH REQUIREMENTS SET FORTH IN THE "SPECIAL NOTES" SECTION OF THE MULTIPLE-LOT STORAGE PROCEDURES TYPICALLY SHOWN ON PAGE 43.
- N. ALTHOUGH SPECIFIC PROCEDURES ARE INCLUDED IN THIS DRAWING FOR STORING MULTIPLE-LOTS, THE BASIC STORAGE PATTERNS AS SHOWN ON PAGES 4 THRU 16 AND 20 THRU 40 CAN ALSO BE ADAPTED FOR THE STORING OF MORE THAN ONE LOT. LOTS WHEN STORED IN ACCORDANCE WITH A BASIC STORAGE PATTERN MAY BE STORED WITH ONE OR MORE ROWS USED FOR EACH LOT. A SPACE OF APPROXIMATELY 1" WILL HAVE TO BE LEFT BETWEEN ADJACENT ROWS CONTAINING DIFFERENT LOTS. IN BASIC STORAGE PATTERNS WHERE THE WIDTH OF A ROW IS ESTABLISHED BY THE 45-1/2" OR 48" WIDTH DIMENSION OF THE PALLET, EACH ROW MAY BE A DIFFERENT LOT AND BE READILY AVAILABLE. IN BASIC STORAGE PATTERNS WHERE THE WIDTH OF A ROW IS ESTABLISHED BY THE 35" OR 40" LENGTH DIMENSION OF THE PALLET, A LOT MUST CONSIST OF TWO OR MORE ROWS TO PROVIDE ADEQUATE SPACE TO ACCOMMODATE THE WIDTH OF A FORKLIFT TRUCK FOR STORING OR REMOVING THE LOT. AN EXCEPTION TO THIS WOULD BE UNITS NO. 40, 41, AND 42 WHICH ARE APPROXIMATELY 44" LONG AND THEREFORE EACH ROW CAN BE A DIFFERENT LOT.

(CONTINUED AT RIGHT)

MATERIAL SPECIFICATIONS

LUMBER : SEE TM 743-200-1, DUNNAGE LUMBER, FED SPEC MM-L-751.

(GENERAL NOTES CONTINUED)

- HOWEVER, WHEN THE SIZE OF A LOT REQUIRES THE SPACE OF ONLY ONE ROW, IT IS PERMISSIBLE TO STORE THAT LOT WITH THE 45-1/2" OR 48" WIDTH DIMENSION OF THE PALLET ESTABLISHING THE WIDTH OF THE ROW, PROVIDING THE STORAGE PRINCIPLES SPECIFIED ARE FOLLOWED AS CLOSELY AS POSSIBLE. THE 1" SPACE BETWEEN LOTS, AS STATED ABOVE, WILL NOT BE EXCEEDED SOLELY TO ACCOMMODATE THE WIDTH OF A FORKLIFT TRUCK. FOR ADDITIONAL REQUIREMENTS AND GUIDANCE, SEE THE SPECIAL NOTES FOR MULTIPLE-LOT STORAGE ON PAGE 43.
- O. ANY "LIGHT" PALLETIZED UNIT THAT DOES NOT CONTAIN A FULL QUANTITY OF PROPELLING CHARGES WILL NOT BE BURIED IN STORAGE. IT MUST BE POSITIONED ADJACENT TO AN AISLE, PREFERABLY IN FRONT OF THE LOT OR ON TOP OF THE LAST STACK ADJACENT TO OR NEAREST THE MHE AISLE.
 - P. PROPELLING CHARGES PRESENTLY STORED IN ACCORDANCE WITH A PRIOR APPROVED DRAWING NEED NOT BE RE-STORED SOLELY TO CONFORM TO THE PROCEDURES SPECIFIED IN THIS DOCUMENT.
 - Q. THE PROCEDURES DEPICTED WITHIN THIS DRAWING MAY BE APPLIED FOR THE STORING OF PALLETIZED PROPELLING CHARGES OTHER THAN THOSE LISTED IN THE ITEMIZED INDEX ON PAGES 3 AND 58. SELECT FROM THE PALLET UNIT DIMENSION COLUMN OF THE INDEX THE PALLET UNIT WHICH HAS LENGTH AND WIDTH DIMENSIONS NEAREST THE LENGTH AND WIDTH OF THE UNIT TO BE STORED. APPLY THE STORAGE PRINCIPLES SHOWN FOR THAT UNIT ON THE DESIGNATED STORAGE DETAIL PAGE, ADJUSTING STACK HEIGHTS, AS REQUIRED.
 - R. STORAGE OF NON-STANDARD PALLET UNITS, SUCH AS FIELD RETURNS, SHOULD BE HANDLED ON A CASE BY CASE BASIS. GUIDANCE FOR STORAGE OF THESE NON-STANDARD PALLET UNITS SHOULD BE REQUESTED FROM THE U.S. ARMY ARMAMENT, RESEARCH, DEVELOPMENT AND ENGINEERING CENTER, ATTN: SMCAR-ESK, ROCK ISLAND, IL 61299-7300.
 - S. DUNNAGE LUMBER SPECIFIED THROUGHOUT THIS PROCEDURAL DRAWING IS OF NOMINAL SIZE. FOR EXAMPLE, 1" X 6" MATERIAL IS ACTUALLY 3/4" THICK BY 5-1/2" WIDE.
 - T. PORTIONS OF THE MAGAZINES, SUCH AS SIDEWALLS, END WALLS, AND ROOFS, HAVE NOT BEEN SHOWN IN THE STORAGE VIEWS FOR CLARITY PURPOSES.
 - U. WHEN STORING PALLET UNITS IN A BLOCK PATTERN AS DEPICTED ON PAGES 4 THRU 41, THE FOLLOWING GUIDANCE IS TO BE FOLLOWED. WHEN THE SPECIFIED STORAGE PATTERN DEPICTS THE UNITS IN EACH END PORTION AND IN THE CENTER PORTION OF THE MAGAZINE POSITIONED SO THE CONTAINERS IN THE UNITS ARE PARALLEL TO THE 50' WIDTH OF THE MAGAZINE, THE UNITS SHOULD BE POSITIONED SO THE OPENING ENDS OF THE CONTAINERS FACE THE DOOR OPENING SIDE OF THE MAGAZINE. IF THE UNITS IN THE END AND CENTER PORTIONS ARE POSITIONED SO THE CONTAINERS IN THE UNIT ARE PARALLEL TO THE 100' LENGTH OF THE MAGAZINE, THE UNITS SHOULD BE POSITIONED SO THE OPENING ENDS OF THE CONTAINERS FACE THE MHE AISLE. FOR THE PALLET UNITS IN THE MHE AISLE, IF THE CONTAINERS ON THE UNIT ARE PARALLEL WITH THE 100' LENGTH OF THE MAGAZINE, THE UNITS SHOULD BE POSITIONED SO THE OPENING ENDS OF THE CONTAINERS FACE TOWARD THE SPACE AT THE SIDE OF THE ROW. IF THE UNITS IN THE MHE AISLE ARE POSITIONED SO THE CONTAINERS ON THE UNIT ARE PARALLEL WITH THE 50' WIDTH OF THE MAGAZINE, THE UNITS SHOULD BE POSITIONED SO THE OPENING ENDS OF THE CONTAINERS FACE THE DOOR OPENING OF THE MAGAZINE.
 - V. WHEN LOCAL STORAGE CONDITIONS ARE SUCH THAT AN AMMUNITION STORAGE MAGAZINE NET EXPLOSIVE WEIGHT LIMIT WILL BE REACHED BEFORE ALL AVAILABLE STORAGE SPACE WILL BE UTILIZED, A COMBINATION OF THE VARIOUS STORAGE PATTERNS DELINEATED HEREIN MAY BE USED IN LIEU OF BLOCK STORAGE PATTERN TO FACILITATE INVENTORY, INSPECTION, THE USE OF MATERIALS HANDLING EQUIPMENT, SURVEILLANCE, ETC., OF THE AMMUNITION TO BE STORED WITHIN THE MAGAZINE.
 - W. A PRODUCTION OR STORAGE FACILITY IS AUTHORIZED TO HAVE ONE INCOMPLETE, UNBANDIED PARTIAL UNIT LOAD PER LOT IN A STORAGE STRUCTURE. PRIOR TO SHIPMENT OF A PARTIAL UNIT, A LAYER MUST BE COMPLETED, IF APPLICABLE, BY THE POSITIONING OF ONE OR MORE EMPTY CONTAINERS OR FILLERS AS DELINEATED BY THE APPLICABLE UNITIZATION PROCEDURE. THE UNIT MUST THEN BE RE-BANDIED WITH THE SAME SIZE AND QUANTITY OF STRAPS AS THE ORIGINAL UNIT.

REVISIONS

REVISION NO. 1, DATED NOVEMBER 1981, CONSISTS OF:

1. ADDING PALLET UNIT DETAILS AND STORAGE PROCEDURES FOR PALLET UNITS NOS. 62 THRU 70.
2. UPDATING THE INDEX AND GENERAL NOTES.

REVISION NO. 2, DATED JANUARY 1990, CONSISTS OF:


1. CHANGING DRAWING APPROVAL BLOCK FROM U.S. ARMY DARCOM TO U.S. ARMY MATERIEL COMMAND.
2. ADDING UNIT DETAILS AND STORAGE PROCEDURES FOR UNITS NO. 71, 72, AND 73.
3. CHANGING STORAGE PROCEDURES FOR UNIT NO. 51 BASIC AND DECREASED HEIGHT, NO. 68 DECREASED HEIGHT, AND NO. 70 BASIC HEIGHT.
4. ADDING GENERAL NOTES "U", "V", AND "W".

ITEMIZED INDEX

| *LINE NO. | ITEM IDENTIFICATION | PALLET UNIT DIMENSIONS L X W X H (INCHES) | UNIT WEIGHT (POUNDS) | UNIT NO. | UNIT DETAIL PAGE | STORAGE ** DETAIL PAGE |
|-----------|---|---|----------------------|----------|------------------|------------------------|
| 1 | 155MM M3 IN M14 CNTR, AMPHIBIOUS UNIT | 41 X 48 X 37-1/8 | 1,275 | 1 | 41 | 4, 5 |
| 2 | 155MM M72 IN M16 CNTR, AMPHIBIOUS UNIT | 42-3/4 X 50-3/4 X 41-1/2 | 1,456 | 2 | 41 | 6T |
| 3 | 5"/38 INMK9 MOD 1 AND MK15 MOD 1 CART TANK | 35 X 50-1/2 X 51-7/8 | 1,890 (MAX) | 3 | 41 | 6B |
| 4 | 5"/38 IN MK9 AND MK15 CART TANK IN PALLET ADAPTER MK13 MOD 0 | 35 X 47-13/16 X 43-7/8 | 1,721 (MAX) | 4 | 41 | 7T |
| 5 | 5"/38 IN MK9 AND MK15 CART TANK IN WOOD FRAMES | 35 X 50-1/2 X 39-3/4 | 1,484 (MAX) | 5 | 41 | 7B |
| 6 | 5"/54 IN MK14 CART TANK | 36-3/8 X 50-1/2 X 51-7/8 | 1,943 | 6 | 41 | 8T |
| 7 | 5"/54 IN MK14, MK14 MOD 1 AND MK 21 MOD 0 CART TANK IN PALLET ADAPTER MK 16 MOD 0 | 36-1/2 X 48 X 43-3/8 | 1,789 (MAX) | 7 | 45 | 8B |
| 8 | 5"/54 IN MK14 AND MK21 CART TANK IN WOOD FRAMES | 36-3/8 X 50-1/2 X 39-3/4 | 1,508 (MAX) | 8 | 45 | 9T |
| 9 | 6"/47 IN MK4 CART TANK | 40-1/2 X 45-1/2 X 49-5/8 | 1,685 | 9 | 45 | 9B |
| 10 | 6"/47 IN MK4 CART TANK IN PALLET ADAPTER MK18 MOD 0 | 39-3/8 X 45-1/2 X 40-3/8 | 1,317 | 10 | 45 | 10T |
| 11 | 6"/47 IN MK4 CART TANK IN WOOD FRAMES | 40-1/2 X 45-1/2 X 41-7/8 | 1,356 (MAX) | 11 | 45 | 10B |
| 12 | 8"/55 IN MK10 MOD 1 POWDER TANK ON STEEL PALLET | 35 X 56-1/4 X 46-3/4 | 1,479 | 12 | 45 | 11T |
| 13 | 8"/55 IN MK10 MOD 1 POWDER TANK ON WOOD PALLET | 40 X 48 X 36-3/4 | 1,029 | 13 | 46 | 11B |
| 14 | 8"/55 IN MK13 MOD 0 POWDER TANK ON WOOD PALLET | 40 X 51-5/8 X 33-3/4 | 916 | 14 | 46 | 12T |
| 15 | 8"/55 IN MK11 AND MK13 MOD 0 CART TANK | 42-1/8 X 54-5/8 X 45-5/8 | 1,633 (MAX) | 15 | 46 | 12B |
| 16 | 8"/55 IN MK10 MOD 1 POWDER TANK IN ADAPTER MK75 MOD 0 | 35 X 45-1/2 X 35-5/8 | 997 | 16 | 46 | 13T |
| 17 | 8"/55 IN MK11 MOD 0 AND MK13 MOD 0 CART TANK IN ADAPTER MK76 MOD 0 | 41-3/8 X 55-1/2 X 43 | 1,712 | 17 | 46 | 13B |
| 18 | 8" IN MK13 MOD 0 POWDER TANK IN PALLET ADAPTER MK85 MOD 0 | 35 X 50-1/2 X 32-5/8 | 896 | 18 | 46 | 14T |
| 19 | 8" M1 IN M18 CNTR, AMPHIBIOUS UNIT | 44 X 52-1/2 X 41-1/4 | 1,448 | 19 | 47 | 14B |
| 20 | 8" M2 IN M19 CNTR, AMPHIBIOUS UNIT | 41-1/4 X 49-1/2 X 35-1/2 | 1,153 | 20 | 47 | 15T |
| 21 | 16"/50 IN MK4 POWDER TANK ON PALLET ADAPTER MK87 MOD 0 | 40-1/2 X 60-3/4 X 60-7/8 | 2,916 (MAX) | 21 | 47 | 15B |
| 22 | 16"/50 IN MK8 MOD 0 POWDER TANK ON PALLET ADAPTER MK86 MOD 0 | 35-1/4 X 50 X 60-1/8 | 1,610 | 22 | 47 | 16T |
| 23 | M67 CHARGE IN STEEL DRUM | 40 X 52-1/2 X 32 | 767 | 23 | 47 | 16B |
| 24 | | | | | | |
| 25 | | | | | | |
| 26 | | | | | | |
| 27 | | | | | | |
| 28 | | | | | | |
| 29 | | | | | | |
| 30 | | | | | | |
| 31 | M10 CNTR, ALTERNATED CONTAINERS | 40-3/4 X 55-3/8 X 35-1/2 | 1,632 | 31 | 49 | 20B |
| 32 | M10 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 40-3/4 X 55-3/8 X 45-1/4 | 2,174 | 31 | 49 | 20B |
| 33 | M10 CNTR, FLAT DUNNAGE METHOD | 43 X 55-3/8 X 49 | 2,123 | 32 | 49 | 21T |
| 34 | M10 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 43 X 55-3/8 X 38-1/2 | 1,623 | 32 | 49 | 21T |
| 35 | M10 CNTR, ROUTED DUNNAGE METHOD | 42 X 55-3/8 X 48-5/8 | 2,119 | 33 | 49 | 21B |
| 36 | M10 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 42 X 55-3/8 X 38 | 1,623 | 33 | 49 | 21B |
| 37 | M13 CNTR, FLAT DUNNAGE METHOD | 41-1/2 X 55 X 45-7/8 | 1,747 | 34 | 49 | 22T |
| 38 | M13 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 41-1/2 X 55 X 38-1/8 | 1,421 | 34 | 49 | 22T |
| 39 | M13 CNTR, ROUTED DUNNAGE METHOD | 40 X 55 X 44-7/8 | 1,761 | 35 | 49 | 22B |
| 40 | M13 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40 X 55 X 37-1/8 | 1,447 | 35 | 49 | 22B |
| 41 | M14 CNTR, ALTERNATED CONTAINERS | 37-1/2 X 49-1/2 X 36 | 1,304 | 36 | 49 | 23T |
| 42 | M14 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 37-1/2 X 49-1/2 X 41-15/16 | 1,554 | 36 | 49 | 23T |
| 43 | M14 CNTR, FLAT DUNNAGE METHOD | 40-1/2 X 49-1/2 X 47-1/8 | 1,433 | 37 | 50 | 23B |
| 44 | M14 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-1/2 X 49-1/2 X 40-7/16 | 1,219 | 37 | 50 | 23B |
| 45 | M14 CNTR, ROUTED DUNNAGE METHOD | 40-1/2 X 48 X 47 | 1,435 | 38 | 50 | 24T |
| 46 | M14 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-1/2 X 48 X 40-1/4 | 1,225 | 38 | 50 | 24T |
| 47 | M16 CNTR, ALTERNATED CONTAINERS | 42-5/8 X 49 X 36-1/4 | 1,472 | 39 | 50 | 24B |
| 48 | M16 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 42-5/8 X 49 X 44 | 1,820 | 39 | 50 | 24B |
| 49 | M16 CNTR, FLAT DUNNAGE METHOD | 44-1/8 X 52-1/2 X 49 | 1,870 | 40 | 50 | 25T |
| 50 | M16 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 44-1/8 X 52-1/2 X 40-5/8 | 1,524 | 40 | 50 | 25T |
| 51 | M16 CNTR, ROUTED DUNNAGE METHOD | 44-1/8 X 50-1/2 X 48-3/4 | 1,848 | 41 | 50 | 25B |
| 52 | M16 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 44-1/8 X 50-1/2 X 40-1/4 | 1,507 | 41 | 50 | 25B |
| 53 | M18 CNTR, FLAT DUNNAGE METHOD | 44 X 52-9/16 X 49 | 1,779 | 42 | 50 | 26T |
| 54 | M18 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 44 X 52-9/16 X 40-5/8 | 1,444 | 42 | 50 | 26T |
| 55 | M18 CNTR, ROUTED DUNNAGE METHOD | 42 X 52-9/16 X 48-3/4 | 1,792 | 43 | 51 | 26B |
| 56 | M18 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 42 X 52-9/16 X 40-1/4 | 1,468 | 43 | 51 | 26B |
| 57 | M19 CNTR, FLAT DUNNAGE METHOD | 40-5/8 X 58-1/2 X 46-1/4 | 1,872 | 44 | 51 | 27T |
| 58 | M19 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-5/8 X 58-1/2 X 36-1/2 | 1,431 | 44 | 51 | 27T |
| 59 | M19 CNTR, ROUTED DUNNAGE METHOD | 40 X 58-1/2 X 45-7/8 | 1,873 | 45 | 51 | 27B |
| 60 | M19 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40 X 58-1/2 X 36 | 1,443 | 45 | 51 | 27B |
| 61 | M460 CNTR, ALTERNATED CONTAINERS | 40 X 55 X 42-5/8 | 1,905 | 46 | 51 | 28T |
| 62 | M460 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 40 X 55 X 51-5/8 | 2,364 | 46 | 51 | 28T |
| 63 | M460 CNTR, FLAT DUNNAGE METHOD | 40-3/4 X 55 X 46-1/4 | 1,879 | 47 | 51 | 28B |
| 64 | M460 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-3/4 X 55 X 36-1/2 | 1,438 | 47 | 51 | 28B |
| 65 | M460 CNTR, ROUTED DUNNAGE METHOD | 40 X 55 X 45-7/8 | 1,875 | 48 | 51 | 29T |
| 66 | M460 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40 X 55 X 35-7/8 | 1,444 | 48 | 51 | 29T |
| 67 | M460 CNTR, W/PROTECTIVE COVER | 40 X 55 X 45-1/2 | 2,005 | 49 | 52 | 29B |
| 68 | M460 CNTR, W/PROTECTIVE COVER (DECREASED-HEIGHT UNIT) | 40 X 55 X 35-1/2 | 1,525 | 49 | 52 | 29B |
| 69 | PA37 CNTR, ALTERNATED CONTAINERS | 35-3/4 X 47-1/2 X 38-1/2 | 1,160 | 50 | 52 | 30T |
| 70 | PA37 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 35-3/4 X 47-1/2 X 46-1/8 | 1,432 | 50 | 52 | 30T |
| 71 | PA37 CNTR, FLAT DUNNAGE METHOD | 35-3/4 X 52-1/2 X 49 | 1,452 | 51 | 52 | 30B |
| 72 | PA37 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 35-3/4 X 52-1/2 X 40-5/8 | 1,191 | 51 | 52 | 30B |
| 73 | PA37 CNTR, ROUTED DUNNAGE METHOD | 35-3/4 X 51 X 48-3/4 | 1,429 | 52 | 52 | 31T |
| 74 | PA37 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 35-3/4 X 51 X 40-3/8 | 1,157 | 52 | 52 | 31T |
| 75 | PA66 CNTR, ALTERNATED CONTAINERS | 37-3/4 X 50-1/2 X 35-5/8 | 1,273 | 53 | 52 | 31B |
| 76 | PA66 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 37-3/4 X 50-1/2 X 45-3/8 | 1,677 | 53 | 52 | 31B |
| 77 | PA66 CNTR, FLAT DUNNAGE METHOD | 40-3/4 X 53-1/2 X 49 | 1,738 | 54 | 52 | 32T |
| 78 | PA66 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-3/4 X 53-1/2 X 38-1/2 | 1,332 | 54 | 52 | 32T |
| 79 | PA66 CNTR, ROUTED DUNNAGE METHOD | 40-3/4 X 52-1/2 X 48-1/2 | 1,736 | 55 | 53 | 32B |
| 80 | PA66 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 40-3/4 X 52-1/2 X 37-7/8 | 1,337 | 55 | 53 | 32B |
| 81 | PA68 CNTR, ALTERNATED CONTAINERS | 38 X 48-1/2 X 36-3/4 | 1,333 | 56 | 53 | 33T |
| 82 | PA68 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 38 X 48-1/2 X 44-3/8 | 1,652 | 56 | 53 | 33T |
| 83 | PA68 CNTR, FLAT DUNNAGE METHOD | 41 X 51-1/2 X 40-1/2 | 1,400 | 57 | 53 | 33B |
| 84 | PA68 CNTR, FLAT DUNNAGE METHOD (INCREASED-HEIGHT UNIT) | 41 X 51-1/2 X 48-7/8 | 1,726 | 57 | 53 | 33B |
| 85 | PA68 CNTR, ROUTED DUNNAGE METHOD | 41 X 50-1/2 X 40-3/8 | 1,385 | 58 | 53 | 34T |
| 86 | PA68 CNTR, ROUTED DUNNAGE METHOD (INCREASED-HEIGHT UNIT) | 41 X 50-1/2 X 48-3/4 | 1,704 | 58 | 53 | 34T |
| 87 | PA75 CNTR, ALTERNATED CONTAINERS | 35-1/4 X 45-1/2 X 41-1/2 | 1,238 | 59 | 53 | 34B |
| 88 | PA75 CNTR, ALTERNATED CONTAINERS (INCREASED-HEIGHT UNIT) | 35-1/4 X 45-1/2 X 48-1/2 | 1,475 | 59 | 53 | 34B |
| 89 | PA75 CNTR, FLAT DUNNAGE METHOD | 35-1/4 X 48-5/8 X 45-7/8 | 1,260 | 60 | 53 | 35T |
| 90 | PA75 CNTR, FLAT DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 35-1/4 X 48-5/8 X 38-1/8 | 1,026 | 60 | 53 | 35T |
| 91 | PA75 CNTR, ROUTED DUNNAGE METHOD | 35-1/4 X 46-3/4 X 45-5/8 | 1,260 | 61 | 54 | 35B |
| 92 | PA75 CNTR, ROUTED DUNNAGE METHOD (DECREASED-HEIGHT UNIT) | 35-1/4 X 46-3/4 X 37-3/4 | 1,033 | 61 | 54 | 35B |
| 93 | PA91 CNTR, PALLET UNIT | 36 X 47-3/4 X 51-1/4 | 2,025 | 62 | 54 | 36T |
| 94 | PA91 CNTR, PALLET UNIT (DECREASED-HEIGHT UNIT) | 36 X 47-3/4 X 43-3/4 | 1,697 | 62 | 54 | 36T |
| 95 | PA92 CNTR, PALLET UNIT | 36-5/8 X 48-3/4 X 52-1/2 | 1,930 | 63 | 54 | 36B |
| 96 | PA92 CNTR, PALLET UNIT (DECREASED-HEIGHT UNIT) | 36-5/8 X 48-3/4 X 43-1/4 | 1,558 | 63 | 54 | 36B |

* THE PALLET UNITS LISTED ON THE EVEN NUMBERED LINES 32 THRU 96 ARE ALTERNATIVE HEIGHT UNITS, EITHER INCREASED HEIGHT OR DECREASED HEIGHT, AS PERMITTED BY THE UNITIZATION DRAWINGS FOR EACH ITEM CON. IN THE MODEL.

** THE LETTER "T" FOLLOWING A PAGE NUMBER INDICATES THAT THE STORAGE DETAIL IS ON THE TOP HALF OF THAT PAGE; THE LETTER "B" INDICATES THE STORAGE DETAIL IS ON THE BOTTOM HALF.



ISOMETRIC VIEW


SEE GENERAL NOTE "H" ON PAGE 2.

SEE THE "FLOOR DUNNAGE LOCATION DETAIL" AT RIGHT.

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS" SEE PAGE 2.


| BILL OF MATERIAL (PER PALLET STACK) | | |
|---------------------------------------|-------------|------------|
| MATERIAL * | LINEAR FEET | BOARD FEET |
| 1" X 6" | 12.00 | 6.00 |

* SEE GENERAL NOTE "F" ON PAGE 2.



FLOOR DUNNAGE, 1" X 6" X 48" FOR 40" X 48" PALLETS OR 1" X 6" X 42" FOR 35" X 45-1/2" PALLETS (3 REQD PER PALLET STACK).

FLOOR DUNNAGE LOCATION DETAIL




ARROWS INDICATE DIRECTION OF STORAGE TOWARD MHE AISLE/AREA. SEE GENERAL NOTE "G" ON PAGE 2.

PLAN VIEW

SEE GENERAL NOTE "H" ON PAGE 2.

PALLET UNITS IN TOP LAYER WILL BE OMITTED AS REQUIRED TO CLEAR ROOF SUPPORT CAPS AT TOP OF COLUMNS.




FLOOR DUNNAGE, 1" X 6" X 48" (3 REQD PER PALLET STACK). SEE THE "FLOOR DUNNAGE LOCATION DETAIL" ON PAGE 4 AND GENERAL NOTE "F" ON PAGE 2.

SECTION A-A

STORAGE AS SHOWN

| ITEM | QUANTITY |
|--------------|----------|
| PALLET UNITS | 1,126 |


SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

425 PALLET UNITS (1/2 MAG)
879 PALLET UNITS (FULL MAG)


50 3/4"



24" (APPROX)

38" (APPROX)

12'-8" (APPROX)




INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

26"

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 2

50 3/4"

35" (APPROX)




STORAGE AS SHOWN

436 PALLET UNITS (1/2 MAG)
872 PALLET UNITS (FULL MAG)


INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

18"



12'-2" (APPROX)

50 1/2"



27" (APPROX)

BILL OF MATERIAL (PER PALLET STACK)

| MATERIAL * | LINEAR FEET | BOARD FEET |
|------------|-------------|------------|
| 1" X 6" | 12.00 | 6.00 |


* SEE GENERAL NOTE "F" ON PAGE 2.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 3

35"

34" (APPROX)

SEE GENERAL NOTE "K" ON PAGE 2.




STORAGE AS SHOWN

509 PALLET UNITS (1/2 MAG)
1,057 PALLET UNITS (FULL MAG)

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

30" (APPROX)

47 13/16"



12'-2" (APPROX)
34" (APPROX)


47 13/16" 47 13/16"

20" (APPROX)

| BILL OF MATERIAL (PER PALLET STACK) | | |
|---------------------------------------|-------------|------------|
| MATERIAL * | LINEAR FEET | BOARD FEET |
| 1" X 6" | 12.00 | 6.00 |


* SEE GENERAL NOTE "F" ON PAGE 2.

47 13/16"



43" (APPROX)

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 4




STORAGE AS SHOWN

575 PALLET UNITS (1/2 MAG)
1,150 PALLET UNITS (FULL MAG)

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

18"

50 1/2"




12'-2" (APPROX)

27" (APPROX)

| BILL OF MATERIAL (PER PALLET STACK) | | |
|---------------------------------------|-------------|------------|
| MATERIAL * | LINEAR FEET | BOARD FEET |
| 1" X 6" | 10.50 | 5.25 |

* SEE GENERAL NOTE "F" ON PAGE 2.


3"



34" (APPROX)

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 5.

SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

400 PALLET UNITS (1/2 MAG)
821 PALLET UNITS (FULL MAG)


INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

25" (APPROX)


12'-2" (APPROX)

48" (APPROX)

50 1/2"



36 3/8"



BILL OF MATERIAL (PER PALLET STACK)

| MATERIAL * | LINEAR FEET | BOARD FEET |
|------------|-------------|------------|
| 1" X 6" | 10.50 | 5.25 |

* SEE GENERAL NOTE "F" ON PAGE 2.

3"


6"

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 6

50 1/2"

30" (APPROX)

SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

479 PALLET UNITS (1/2 MAG)
994 PALLET UNITS (FULL MAG)


INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

25" (APPROX)

12'-1" (APPROX)


46" (APPROX)

48"



48"

48"



36 1/2"

BILL OF MATERIAL (PER PALLET STACK)

| MATERIAL * | LINEAR FEET | BOARD FEET |
|------------|-------------|------------|
| 1" X 6" | 10.50 | 5.25 |

* SEE GENERAL NOTE "F" ON PAGE 2.



3"



6"



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 7

36 1/2"

35" (APPROX)








SEE GENERAL NOTE "K" ON PAGE 2.

STORAGE AS SHOWN

521 PALLET UNITS (1/2 MAG)
1,084 PALLET UNITS (FULL MAG)




PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 14.

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.


STORAGE AS SHOWN

371 PALLET UNITS (1/2 MAG)
742 PALLET UNITS (FULL MAG)



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 15.


INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.



STORAGE AS SHOWN
 709 PALLET UNITS (1/2 MAG)
 1,418 PALLET UNITS (FULL MAG).


INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

35" (APPROX)



12'-2" (APPROX)

34" (APPROX)




BILL OF MATERIAL (PER PALLET STACK)

| MATERIAL* | LINEAR FEET | BOARD FEET |
|-----------|-------------|------------|
| 1" X 6" | 10.50 | 5.25 |

* SEE GENERAL NOTE "F" ON PAGE 2.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 16

35" 48" (APPROX)




STORAGE AS SHOWN


374 PALLET UNITS (1/2 MAG)
 748 PALLET UNITS (FULL MAG)

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

21" (APPROX)



13'-1" (APPROX)





BILL OF MATERIAL (PER PALLET STACK)


| MATERIAL* | LINEAR FEET | BOARD FEET |
|-----------|-------------|------------|
| 1" X 6" | 12.00 | 6.00 |

* SEE GENERAL NOTE "F" ON PAGE 2.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 17



41 3/8" 56" (APPROX)





STORAGE AS SHOWN
 527 PALLET UNITS (1/2 MAG)
 1,054 PALLET UNITS (FULL MAG)


41 1/4"
 49 1/2"



INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 20.

57" (APPROX)



STORAGE AS SHOWN
 234 PALLET UNITS (1/2 MAG)
 468 PALLET UNITS (FULL MAG)

40 1/2"
 60 3/4"



INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.


| BILL OF MATERIAL (PER PALLET STACK) | | |
|---------------------------------------|-------------|------------|
| MATERIAL* | LINEAR FEET | BOARD FEET |
| 1" X 6" | 12.00 | 6.00 |

* SEE GENERAL NOTE "F" ON PAGE 2.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 21.

40 1/2"

26" (APPROX)



STORAGE AS SHOWN

336 PALLET UNITS (1/2 MAG)
672 PALLET UNITS (FULL MAG)

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

35 1/4"

12'-7" (APPROX)

44" (APPROX)

20"


BILL OF MATERIAL (PER PALLET STACK)

| MATERIAL * | LINEAR FEET | BOARD FEET |
|------------|-------------|------------|
| 1" X 6" | 10.50 | 5.25 |

* SEE GENERAL NOTE "F" ON PAGE 2.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 22.

SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

601 PALLET UNITS (1/2 MAG)
1,252 PALLET UNITS (FULL MAG)

INDICATES THE NUMBER OF PALLET UNITS IN HEIGHT.

52 1/2"

12'-10" (APPROX)

25" (APPROX)

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 23.


INTENTIONALLY LEFT BLANK FOR UNITS NO. 24 AND 25.

INTENTIONALLY LEFT BLANK FOR UNITS NO. 26 AND 27.

INTENTIONALLY LEFT BLANK FOR UNITS NO. 28 AND 29.


INTENTIONALLY LEFT BLANK FOR UNIT NO. 30.

SEE GENERAL NOTE "K" ON PAGE 2.




STORAGE AS SHOWN
 35-1/2" HIGH PALLET UNIT *
 490 PALLET UNITS (1/2 MAG)
 1,007 PALLET UNITS (FULL MAG)
 45-1/4" HIGH PALLET UNIT **
 366 PALLET UNITS (1/2 MAG)
 752 PALLET UNITS (FULL MAG)


40 3/4"



32" (APPROX)
 11'-0" (APPROX)
 18"





* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.



STORAGE AS SHOWN


49" HIGH PALLET UNIT *
 349 PALLET UNITS (1/2 MAG)
 698 PALLET UNITS (FULL MAG)
 38-1/2" HIGH PALLET UNIT * *
 446 PALLET UNITS (1/2 MAG)
 892 PALLET UNITS (FULL MAG)

2" (APPROX)
 13'-2" (APPROX)



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 32.



* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 * * INDICATED BY CIRCLED STACK HEIGHT NUMBER.



STORAGE AS SHOWN


48-5/8" HIGH PALLET UNIT *
 371 PALLET UNITS (1/2 MAG)
 742 PALLET UNITS (FULL MAG)
 38" HIGH PALLET UNIT * *
 478 PALLET UNITS (1/2 MAG)
 956 PALLET UNITS (FULL MAG)

21" (APPROX)
 13'-2" (APPROX)





PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 33.

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 * * INDICATED BY CIRCLED STACK HEIGHT NUMBER.




STORAGE AS SHOWN
 45-7/8" HIGH PALLET UNIT *
 369 PALLET UNITS (1/2 MAG)
 738 PALLET UNITS (FULL MAG)
 37-1/8" HIGH PALLET UNIT * *
 465 PALLET UNITS (1/2 MAG)
 930 PALLET UNITS (FULL MAG)





PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 34. 41 1/2" (APPROX) 54" (APPROX)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 * * INDICATED BY CIRCLED STACK HEIGHT NUMBER.





STORAGE AS SHOWN
 44-7/8" HIGH PALLET UNIT *
 395 PALLET UNITS (1/2 MAG)
 790 PALLET UNITS (FULL MAG)
 37-1/8" HIGH PALLET UNIT * *
 522 PALLET UNITS (1/2 MAG)
 1,044 PALLET UNITS (FULL MAG)




PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 35. 40" (APPROX) 34" (APPROX)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 * * INDICATED BY CIRCLED STACK HEIGHT NUMBER.




SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

47" HIGH PALLET UNIT*
 428 PALLET UNITS (1/2 MAG)
 888 PALLET UNITS (FULL MAG)
 40-1/4" HIGH PALLET UNIT **
 513 PALLET UNITS (1/2 MAG)
 1,063 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.




STORAGE AS SHOWN

36-1/4" HIGH PALLET UNIT*
 523 PALLET UNITS (1/2 MAG)
 1,046 PALLET UNITS (FULL MAG)
 44" HIGH PALLET UNIT **
 398 PALLET UNITS (1/2 MAG)
 796 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.

SEE GENERAL NOTE "K" ON PAGE 2.




PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 40


STORAGE AS SHOWN

49" HIGH PALLET UNIT *
 351 PALLET UNITS (1/2 MAG)
 730 PALLET UNITS (FULL MAG)
 40-5/8" HIGH PALLET UNIT **
 389 PALLET UNITS (1/2 MAG)
 810 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.



SEE GENERAL NOTE "K" ON PAGE 2.




PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 41


STORAGE AS SHOWN

48-3/4" HIGH PALLET UNIT *
 373 PALLET UNITS (1/2 MAG)
 771 PALLET UNITS (FULL MAG)
 40-1/4" HIGH PALLET UNIT **
 415 PALLET UNITS (1/2 MAG)
 859 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.





SEE GENERAL NOTE "K" ON PAGE 2.




STORAGE AS SHOWN

49" HIGH PALLET UNIT *
 343 PALLET UNITS (1/2 MAG)
 708 PALLET UNITS (FULL MAG)
 40-5/8" HIGH PALLET UNIT * *
 405 PALLET UNITS (1/2 MAG)
 837 PALLET UNITS (FULL MAG)





PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 42

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.



STORAGE AS SHOWN


48-3/4" HIGH PALLET UNIT *
 373 PALLET UNITS (1/2 MAG)
 746 PALLET UNITS (FULL MAG)
 40-1/4" HIGH PALLET UNIT * *
 445 PALLET UNITS (1/2 MAG)
 890 PALLET UNITS (FULL MAG)



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 43

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.

SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

- 46-1/4" HIGH PALLET UNIT *
- 351 PALLET UNITS (1/2 MAG)
- 736 PALLET UNITS (FULL MAG)
- 36-1/2" HIGH PALLET UNIT * ‡
- 470 PALLET UNITS (1/2 MAG)
- 986 PALLET UNITS (FULL MAG)

58 1/2"


27" (APPROX)
13'-6" (APPROX)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
* * INDICATED BY CIRCLED STACK HEIGHT NUMBER.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 44

40 5/8" 28" (APPROX)

SEE GENERAL NOTE "K" ON PAGE 2.



STORAGE AS SHOWN

- 45-7/8" HIGH PALLET UNIT *
- 361 PALLET UNITS (1/2 MAG)
- 753 PALLET UNITS (FULL MAG)
- 36" HIGH PALLET UNIT * *
- 478 PALLET UNITS (1/2 MAG)
- 998 PALLET UNITS (FULL MAG)



58 1/2"


27" (APPROX)
13'-6" (APPROX)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
* * INDICATED BY CIRCLED STACK HEIGHT NUMBER.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 45


40" 34" (APPROX)






STORAGE AS SHOWN
 45-7/8" HIGH PALLET UNIT *
 392 PALLET UNITS (1/2 MAG)
 784 PALLET UNITS (FULL MAG)
 35-7/8" HIGH PALLET UNIT * *
 525 PALLET UNITS (1/2 MAG)
 1,050 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.





STORAGE AS SHOWN
 45-1/2" HIGH PALLET UNIT *
 392 PALLET UNITS (1/2 MAG)
 784 PALLET UNITS (FULL MAG)
 35-1/2" HIGH PALLET UNIT * *
 525 PALLET UNITS (1/2 MAG)
 1,050 PALLET UNITS (FULL MAG)

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.




STORAGE AS SHOWN
 38-1/2" HIGH PALLET UNIT *
 644 PALLET UNITS (1/2 MAG)
 1,288 PALLET UNITS (FULL MAG)
 46-1/8" HIGH PALLET UNIT **
 518 PALLET UNITS (1/2 MAG)
 1,036 PALLET UNITS (FULL MAG)





* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 50







STORAGE AS SHOWN
 49" HIGH PALLET UNIT *
 477 PALLET UNITS (1/2 MAG)
 954 PALLET UNITS (FULL MAG)
 40-5/8" HIGH PALLET UNIT **
 550 PALLET UNITS (1/2 MAG)
 1,100 PALLET UNITS (FULL MAG)




* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.

PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 51





SEE GENERAL NOTE "K" ON PAGE 2.





STORAGE AS SHOWN

36-3/4" HIGH PALLET UNIT *

599 PALLET UNITS (1/2 MAG)
1,240 PALLET UNITS (FULL MAG)

44-3/8" HIGH PALLET UNIT **


455 PALLET UNITS (1/2 MAG)
913 PALLET UNITS (FULL MAG)



PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 56.

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.

** INDICATED BY CIRCLED STACK HEIGHT NUMBER.





STORAGE AS SHOWN

40-1/2" HIGH PALLET UNIT *

488 PALLET UNITS (1/2 MAG)
976 PALLET UNITS (FULL MAG)

48-7/8" HIGH PALLET UNIT **



411 PALLET UNITS (1/2 MAG)
822 PALLET UNITS (FULL MAG)






PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 57.

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.

** INDICATED BY CIRCLED STACK HEIGHT NUMBER.









STORAGE AS SHOWN

43-3/4" HIGH PALLET UNIT *
 480 PALLET UNITS (1/2 MAG)
 996 PALLET UNITS (FULL MAG)
 51-1/4" HIGH PALLET UNIT **
 447 PALLET UNITS (1/2 MAG)
 926 PALLET UNITS (FULL MAG)




PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 62

* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER.
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.





STORAGE AS SHOWN



43-1/4" HIGH PALLET UNIT *
 477 PALLET UNITS (1/2 MAG)
 990 PALLET UNITS (FULL MAG)
 52-1/2" HIGH PALLET UNIT **
 394 PALLET UNITS (1/2 MAG)
 817 PALLET UNITS (FULL MAG)







PLAN VIEW OF 1/2 MAGAZINE FOR UNIT NO. 63



* INDICATED BY UNCIRCLED STACK HEIGHT NUMBER...
 ** INDICATED BY CIRCLED STACK HEIGHT NUMBER.













THIS PAGE INTENTIONALLY LEFT BLANK

MIXED-LOT PALLET UNITS.
SEE SPECIAL NOTE 4 BELOW.

ARROWS INDICATE DIRECTION OF
STORAGE FROM WALLS AND/OR
CENTER AREA TOWARD THE MHE
AISLE OF THE MAGAZINE.




SPECIAL NOTES:

1. THE STORAGE PLANS SHOWN ARE TYPICAL ONLY. ADAPTATIONS MAY BE MADE AS NUMBER AND SIZES OF LOTS TO BE STORED IN MAGAZINE REQUIRE.
2. AN INSPECTION/INVENTORY AISLE NOT LESS THAN 19" WIDE MUST BE PROVIDED AT ONE SIDE OF EACH "BURIED" LOT.
3. GENERALLY, THE LARGEST LOT SHOULD BE STORED IN THE REAR OR ON ONE SIDE OF THE MAGAZINE. HOWEVER, THESE AREAS MAY BE USED TO STORE MORE THAN ONE LOT BY ERECTING ROWS SIMILAR TO THOSE SHOWN IN THE CENTER AREA OR AS TYPICALLY INDICATED BY DOTTED LINES. EACH ADDITIONAL LOT MUST BE ACCESSIBLE FOR REMOVAL AND INSPECTION/INVENTORY IN ACCORDANCE WITH OTHER CRITERIA SPECIFIED IN THESE SPECIAL NOTES AND IN THE GENERAL NOTES ON PAGE 2.
4. A MIXED-LOT PALLET UNIT MAY HAVE FROM TWO LOTS PER PALLET UNIT UPWARDS TO AS MANY DIFFERENT LOTS AS PROPELLING CHARGE CONTAINERS WITHIN THAT UNIT. HOWEVER, ALL LOTS WITHIN THE PALLET UNIT MUST HAVE THE SAME NATIONAL STOCK NUMBER AND CONDITION CODE.
5. EACH LOT WITHIN THE MAGAZINE MUST BE ACCESSIBLE FOR MOVEMENT BY MHE. PALLET UNITS OF A SINGLE-LOT OR MIXED-LOT PALLET UNITS ARE CONSIDERED "ACCESSIBLE" IF NO MORE THAN TWENTY-FOUR (24) "LIFTS"* OF ANOTHER LOT OR LOTS HAVE TO BE MADE TO GAIN ACCESS TO THE SINGLE-LOT OR MIXED-LOT UNITS.
6. WHEN TWO LOTS ARE STORED ADJACENT TO EACH OTHER THEY SHOULD BE SEPARATED BY AT LEAST 1" TO PROVIDE CLEARANCE FOR REMOVAL OF EITHER LOT.


(SPECIAL NOTES CONTINUED)

7. THE MHE AISLE MAY BE USED TO STORE ONE OR MORE STACKS OF ADDITIONAL LOTS OR ADDITIONAL ITEMS THAT ARE FROM A LOT ADJACENT TO THE MHE AISLE, AS INDICATED BY THE AREAS INCLOSED BY DOTTED LINES. MORE OR FEWER STACKS THAN SHOWN MAY BE STORED AT ANY ONE OF THE ADDITIONAL STORAGE LOCATIONS. IF MORE THAN ONE LOT IS TO BE STORED IN A MHE AISLE, AN 11-FOOT MHE OPERATING AREA MUST BE ALLOWED FOR ACCESS TO EACH LOT FROM ONE END OR THE OTHER. THIS OPERATING AREA IS BASED ON REQUIREMENTS OF FORKLIFT TRUCKS COMMONLY USED IN STORAGE MAGAZINES; ENLARGE AS REQUIRED TO SUIT AVAILABLE FORKLIFT TRUCKS, OR MAKE SMALLER IF AVAILABLE MHE PERMITS. ADDITIONAL STACKS CAN BE POSITIONED BESIDE THOSE SHOWN (2 ROWS IN LIEU OF 1), HOWEVER, THE SPACE REMAINING BETWEEN THE SECOND ROW AND THE LATERALLY ADJACENT STORED UNITS MUST BE AT LEAST THREE INCHES (3") WIDER THAN THE WIDEST UNIT WHICH MUST PASS THRU. ALSO, COMPLIANCE WITH ALL OF THE MULTIPLE-LOT CRITERIA AS SET FORTH ON THIS PAGE MUST BE OBSERVED.
- * A "LIFT" MAY CONSIST OF ONE (1) OR MORE PALLET UNITS, PROVIDING THE CAPACITY OF MHE PERMITS, AND SAFE HANDLING IS NOT JEOPARDIZED.


(CONTINUED AT RIGHT)




UNIT NO. 1




UNIT NO. 2




UNIT NO. 3




UNIT NO. 4




UNIT NO. 5




UNIT NO. 6




UNIT NO. 7




UNIT NO. 8




UNIT NO. 9




UNIT NO. 10




UNIT NO. 11




UNIT NO. 12




UNIT NO. 13




UNIT NO. 14




UNIT NO. 15




UNIT NO. 16




UNIT NO. 17




UNIT NO. 18




UNIT NO. 19




UNIT NO. 20



UNIT NO. 21




UNIT NO. 22




UNIT NO. 23

PALLET UNIT DETAILS


INTENTIONALLY LEFT BLANK
FOR UNITS 25 THRU 30




UNIT NO. 31




UNIT NO. 32




UNIT NO. 33



UNIT NO. 34




UNIT NO. 35




UNIT NO. 36


PALLET UNIT DETAILS




UNIT NO. 37




UNIT NO. 38




UNIT NO. 39



UNIT NO. 40




UNIT NO. 41




UNIT NO. 42


PALLET UNIT DETAILS




UNIT NO. 43




UNIT NO. 44




UNIT NO. 45



UNIT NO. 46




UNIT NO. 47




UNIT NO. 48


PALLET UNIT DETAILS




UNIT NO. 49




UNIT NO. 50




UNIT NO. 51




UNIT NO. 52




UNIT NO. 53




UNIT NO. 54




UNIT NO. 55




UNIT NO. 56




UNIT NO. 57



UNIT NO. 58




UNIT NO. 59




UNIT NO. 60


PALLET UNIT DETAILS




UNIT NO. 61




UNIT NO. 62




UNIT NO. 63




UNIT NO. 64




UNIT NO. 65




UNIT NO. 66




UNIT NO. 67




UNIT NO. 68




UNIT NO. 69



UNIT NO. 70




UNIT NO. 71



UNIT NO. 72

PALLET UNIT DETAILS



UNIT NO. 73

THIS PAGE INTENTIONALLY LEFT BLANK

ITEMIZED INDEX (CONTINUED FROM PAGE 3)

| *LINE NO. | ITEM IDENTIFICATION | PALLET UNIT DIMENSIONS L X W X H (INCHES) | UNIT WEIGHT (POUNDS) | UNIT NO. | UNIT DETAIL PAGE | STORAGE** DETAIL PAGE |
|-----------|--|--|---------------------------|----------|---------------------|--------------------------|
| 97 | PA93 CNTR, PALLET UNIT | 40 X 56 X 51-1/8 | 2,559 | 64 | 54 | 37T |
| 98 | PA93 CNTR, PALLET UNIT (DECREASED HEIGHT) | 40 X 56 X 42-1/8 | 1,727 | 64 | 54 | 37T |
| 99 | PA94 CNTR, PALLET UNIT | 35-1/2 X 46-3/4 X 49-7/8 | 1,474 | 65 | 54 | 37B |
| 100 | PA94 CNTR, PALLET UNIT (DECREASED HEIGHT) | 35-1/2 X 46-3/4 X 43-5/8 | 1,271 | 65 | 54 | 37B |
| 101 | PA95 CNTR, PALLET UNIT | 38-5/8 X 50 X 48-7/8 | 1,844 | 66 | 54 | 38T |
| 102 | PA95 CNTR, PALLET UNIT (DECREASED HEIGHT) | 38-5/8 X 50 X 41-3/4 | 1,543 | 66 | 54 | 38T |
| 103 | PA96 CNTR, PALLET UNIT | 36-1/8 X 48 X 51-1/8 | 1,783 | 67 | 55 | 38B |
| 104 | PA96 CNTR, PALLET UNIT (DECREASED HEIGHT) | 36-1/8 X 48 X 43-5/8 | 1,498 | 67 | 55 | 38B |
| 105 | PA97 CNTR, PALLET UNIT | 41-3/4 X 50 X 52-5/8 | 2,387 | 68 | 55 | 39T |
| 106 | PA97 CNTR, PALLET UNIT (DECREASED HEIGHT) | 41-3/4 X 50 X 37-1/8 | 1,613 | 68 | 55 | 39T |
| 107 | PA99 CNTR, PALLET UNIT | 35 X 46-1/2 X 49-5/8 | 1,715 | 69 | 55 | 39B |
| 108 | PA99 CNTR, PALLET UNIT (DECREASED HEIGHT) | 35 X 46-1/2 X 42-3/8 | 1,442 | 69 | 55 | 39B |
| 109 | PA100 CNTR, PALLET UNIT | 36 X 48-1/2 X 51-3/4 | 1,282 | 70 | 55 | 40T |
| 110 | PA100 CNTR, PALLET UNIT (DECREASED HEIGHT) | 36 X 48-1/2 X 38-5/8 | 1,081 | 70 | 55 | 40T |
| 111 | PA103 CNTR, PALLET UNIT | 38 X 47-3/4 X 36-1/4 | 1,370 | 71 | 55 | 40B |
| 112 | PA106 CNTR, PALLET UNIT | 40-5/8 X 55 X 48-7/8 | 2,186 | 72 | 55 | 41T |
| 113 | PA106 CNTR, PALLET UNIT (INCREASED HEIGHT) | 40-5/8 X 55 X 41-3/4 | 1,681 | 72 | 55 | 41T |
| 114 | PA107 CNTR, PALLET UNIT | 35-1/4 X 45-3/4 X 48-7/8 | 1,540 | 73 | 56 | 41B |
| 115 | PA107 CNTR, PALLET UNIT (INCREASED HEIGHT) | 35-1/4 X 45-3/4 X 41-3/4 | 1,407 | 73 | 56 | 41B |

* THE PALLET UNITS LISTED ON THE EVEN NUMBERED LINES 98 THRU 110, AND LINES 113 AND 115 ARE DECREASED-HEIGHT UNITS; AS PERMITTED BY THE UNITIZATION DRAWINGS FOR EACH ITEM CONTAINER MODEL.

** THE LETTER " T " FOLLOWING A PAGE NUMBER INDICATES THAT THE STORAGE DETAIL IS ON THE TOP HALF OF THAT PAGE; THE LETTER " B " INDICATES THE STORAGE DETAIL IS ON THE BOTTOM HALF.