





STORAGE IN APPROVED MAGAZINES OF TOW GUIDED MISSILE PACKED ONE PER WIREBOUND WOODEN BOX (OVERPACK) UNPALLETIZED AND PALLETIZED (12 PER PALLET)

<u>ITEM</u>	<u>INDEX</u>	<u>PAGE(S)</u>
GENERAL NOTES, AND MATERIAL SPECIFICATIONS - - - - -		2
DETAILS OF CONTAINER AND PALLETIZED UNITS - - - - -		3
PROCEDURES FOR UNPALLETIZED CONTAINERS:		
81'-0", 60'-8" AND 40'-4" L X 26'-6" W X 12'-9" H IGLOO MAGAZINES - - - - -		4,5
81'-2" L X 26'-6" W X 12'-1-3/4" H ARCH TYPE MAGAZINE - - - - -		6,7
80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES - - - - -		8,9
80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES - - - - -		10,11
80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES - - - - -		12,13
80'-0" L X 25'-0" W X 14'-0" H STRADLEY MAGAZINE - - - - -		14,15
89'-0" L X 24'-10" W X 14'-4" H OVAL ARCH MAGAZINE - - - - -		16,17
89'-0" L X 24'-11" W X 13'-6" H STEEL ARCH MAGAZINE - - - - -		18,19
52'-0" DIA CORBETTA MAGAZINE - - - - -		20,21
100'-8" L X 50'-0" W RECTANGULAR MAGAZINE - - - - -		22,23
PROCEDURES FOR CONTAINERS PALLETIZED 4 WIDE BY 3 HIGH:		
81'-0", 60'-8" AND 40'-4" L X 26'-6" W X 12'-9" H IGLOO MAGAZINES - - - - -		24,25
81'-2" L X 26'-6" W X 12'-1-3/4" H ARCH TYPE MAGAZINE - - - - -		26,27
80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES - - - - -		28,29
80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES - - - - -		30,31
80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES - - - - -		32,33
80'-0" L X 25'-0" W X 14'-0" H STRADLEY MAGAZINE - - - - -		34,35
89'-0" L X 24'-10" W X 14'-4" H OVAL ARCH MAGAZINE - - - - -		36,37
89'-0" L X 24'-11" W X 13'-6" H STEEL ARCH MAGAZINE - - - - -		38,39
52'-0" DIA CORBETTA MAGAZINE - - - - -		40,41
100'-8" L X 50'-0" W RECTANGULAR MAGAZINE - - - - -		42,43
PROCEDURES FOR CONTAINERS PALLETIZED 3 WIDE BY 4 HIGH:		
81'-0", 60'-8" AND 40'-4" L X 26'-6" W X 12'-9" H IGLOO MAGAZINES - - - - -		44,45
81'-2" L X 26'-6" W X 12'-1-3/4" H ARCH TYPE MAGAZINE - - - - -		46,47
80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES - - - - -		48,49
80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES - - - - -		50,51
80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES - - - - -		52,53
80'-0" L X 25'-0" W X 14'-0" H STRADLEY MAGAZINE - - - - -		54,55
89'-0" L X 24'-10" W X 14'-4" H OVAL ARCH MAGAZINE - - - - -		56,57
89'-0" L X 24'-11" W X 13'-6" H STEEL ARCH MAGAZINE - - - - -		58,59
52'-0" DIA CORBETTA MAGAZINE - - - - -		60,61
100'-8" L X 50'-0" W RECTANGULAR MAGAZINE - - - - -		62,63
PLACEMENT OF DUNNAGE AND DETAILS - - - - -		64

U. S. ARMY MATERIEL COMMAND DRAWING			
APPROVED, U. S. ARMY MISSILE COMMAND  APPROVED BY ORDER OF COMMANDING GENERAL, U. S. ARMY MATERIEL COMMAND  U. S. ARMY DEFENSE AMMUNITION CENTER AND SCHOOL	DRAFTSMAN INGBORG DEPPE	ENGINEER M. DAEUMER	
SUPPLY ENGINEERING DIVISION			
LOGISTICS ENGINEERING OFFICE		MARCH 1969	
REVISION NO. 4 OCTOBER 1995	CLASS 19	DIVISION 48	DRAWING 5230
SEE THE REVISION LISTING ON PAGE 2		FILE GM1-3-4-14-22T01	

DO NOT SCALE

GENERAL NOTES

- A. THIS DOCUMENT HAS BEEN PREPARED AND ISSUED IN ACCORDANCE WITH AR 740-1 AND AUGMENTS TM 743-200-1 (CHAPTER 5).
- B. FOR DETAIL OF THE WIREBOUND BOX SEE DRAWING NO. D10224699 (U.S. ARMY MISSILE COMMAND), AND "CONTAINER UNIT" VIEW ON PAGE 3.

BOX DIMENSIONS - - - - - 58-1/4 L X 11-5/8" W X 11-5/8" H (APPROX)
 GROSS WEIGHT - - - - - 87 LBS (APPROX)
 EXPLOSIVE WEIGHT (WITH HIGH EXPLOSIVE WARHEAD)- 13.8 LBS
 EXPLOSIVE WEIGHT (WITH INERT WARHEAD) - - - - - 5.7 LBS
 CUBE - - - - - 4.9 CUBIC FEET

- C. FOR DETAIL OF THE PALLET UNITS, REFER TO U.S. ARMY AMC DRAWING 19-48-5229-GM20T01 AND "PALLET UNIT" VIEWS ON PAGE 3.

PALLETIZED 4 W X 3 H

UNIT DIMENSIONS - - - - 48" X 58-1/4" X 39-3/4" (APPROX)
 GROSS WEIGHT - - - - - 1,126 POUNDS (APPROX)
 EXPLOSIVE WEIGHT (WITH HIGH EXPLOSIVE WARHEAD) - - - - -
 - - - - - 165.6 POUNDS
 EXPLOSIVE WEIGHT (WITH INERT WARHEAD) - - - - 68.4 POUNDS
 CUBE - - - - - 64.0 CUBIC FEET

PALLETIZED 3 W X 4 H

UNIT DIMENSIONS - - - - 36" X 58-1/4" X 51-1/4" (APPROX)
 GROSS WEIGHT - - - - - 1,112 POUNDS (APPROX)
 EXPLOSIVE WEIGHT (WITH HIGH EXPLOSIVE WARHEAD) - - - - -
 - - - - - 165.6 POUNDS
 EXPLOSIVE WEIGHT (WITH INERT WARHEAD) - - - - 68.4 POUNDS
 CUBE - - - - - 60.9 CUBIC FEET

- D. THIS ITEM IS A OD CLASS 1.1, AND IS A COMPATIBILITY GROUP E. CAUTION: THIS ITEM IS IN A "PROPULSIVE STATE" AND MUST BE STORED WITH THE FORWARD (NOSE) END FACING TOWARD THE MAGAZINE REAR WALL AS INDICATED BY THE ARROWS ON THE STORAGE VIEWS.
- E. CAUTION: THE ALLOWABLE "EXPLOSIVE LIMIT" ESTABLISHED FOR A MAGAZINE IS NOT TO BE EXCEEDED. THIS LIMITATION MAY REQUIRE A QUANTITY REDUCTION FROM THE STORAGE AS SHOWN.
- F. STORED BOXES AND/OR UNITS MUST NOT CONTACT THE WALLS OF A MAGAZINE. TO PROVIDE FOR THIS MANDATORY CLEARANCE REQUIREMENT, BOXES AND/OR UNITS MAY BE ELIMINATED FROM THE DEPICTED STORAGE PATTERN AS NECESSARY.
- G. AISLE DIMENSIONS SHOWN HEREIN MAY BE ADJUSTED TO SUIT LOCAL CONDITIONS AND/OR AVAILABLE MATERIAL HANDLING EQUIPMENT, HOWEVER A 20" (MIN) INSPECTION AISLE MUST BE MAINTAINED AT THE AFT END FOR INSPECTION.
- H. UNPALLETIZED BOXES HAVE BEEN OMITTED FROM THE STACK ADJACENT TO THE FRONT OF THE MAGAZINES, DUE TO THE DIFFICULTY OF HANDLING BOXES ABOVE THE HEIGHT OF THE DOOR OPENING. IF ADDITIONAL BOXES CAN BE POSITIONED IN THIS AREA THE "STORAGE AS SHOWN" WILL BE INCREASED ACCORDINGLY.
- J. ANY "LIGHT" PALLET UNIT THAT DOES NOT CONTAIN A FULL QUANTITY OF BOXES WILL NOT BE BURIED IN STORAGE. IT MUST BE POSITIONED ADJACENT TO AN AISLE, PREFERABLY IN FRONT OF THE LOT.
- K. A PRODUCTION OR STORAGE FACILITY IS AUTHORIZED TO HAVE ONE INCOMPLETE, UN-BANDED PARTIAL PALLET PER LOT IN A STORAGE STRUCTURE. PRIOR TO SHIPMENT OF A PARTIAL UNIT, A LAYER MUST BE COMPLETED, IF APPLICABLE, BY THE POSITIONING OF ONE OR MORE FILLER ASSEMBLIES AS DELINEATED BY DRAWING 19-48-5229-GM20T01. THE UNIT MUST THEN BE RE-BANDED WITH THE SAME SIZE AND QUANTITY OF STRAPS AS THE ORIGINAL UNIT.
- L. WIREBOUND BOXES OR PALLET UNITS PRESENTLY STORED IN ACCORDANCE WITH A PRIOR APPROVED DRAWING NEED NOT BE RE-STORED SOLELY TO CONFORM TO THE PROCEDURES SPECIFIED IN THIS REVISED DOCUMENT.
- M. DUNNAGE LUMBER SPECIFIED THROUGHOUT THIS PROCEDURAL DRAWING IS OF NOMINAL SIZE. FOR EXAMPLE, 1" X 4" MATERIAL IS ACTUALLY 3/4" THICK BY 3-1/2" WIDE AND 2" X 4" MATERIAL IS ACTUALLY 1-1/2" THICK BY 3-1/2" WIDE.

REVISION

REVISION NO. 1, DATED APRIL 1970, CONSISTS OF:

- 1. CHANGED STORAGE PROCEDURES FOR REDESIGNED PALLET UNIT.

REVISION NO. 2, DATED DECEMBER 1978, CONSISTS OF:

- 1. CHANGING DRAWING FILE NUMBER FROM GM1-14A5 TO GM1-14-22T01
- 2. CHANGING THE CONTAINER UNIT AND PALLET UNIT WEIGHTS.
- 3. UPDATING THE PALLET UNIT DETAIL TO COMPLY WITH DRAWING 19-48-5229-GM20T01.
- 4. ADDING STORAGE PROCEDURES FOR OVAL-ARCH MAGAZINES.

REVISION NO. 3, DATED JUNE 1985, CONSISTS OF:


- 1. ADDING STORAGE PROCEDURES FOR 3 W X 4 H PALLET.
- 2. ADDING STORAGE PROCEDURES FOR CORBETTA MAGAZINES.
- 3. ADDING STORAGE PROCEDURES FOR ARCH TYPE MAGAZINES.
- 4. ADDING STORAGE PROCEDURES FOR RECTANGULAR MAGAZINES.
- 5. CHANGING EXPLOSIVE WEIGHTS.
- 6. CHANGING DRAWING FILE NO. FROM GM1-14-22T01 TO GM1-3-4-14-22T01.

REVISION NO. 4, DATED OCTOBER 1995 CONSISTS OF:

- 1. UPDATING DRAWING FORMAT AND GENERAL NOTES TO CURRENT STANDARDS.
- 2. ADDING STORAGE PROCEDURES FOR STEEL ARCH MAGAZINE.


MATERIAL SPECIFICATIONS

LUMBER - - - - - : SEE TM 743-200-1 (DUNNAGE LUMBER) AND FED SPEC MM-L-751.




* THESE 11-5/8" HEIGHT AND WIDTH DIMENSIONS DO NOT INCLUDE THE PROTRUSION OF THE STAPLED WIRE AND THE WIRE LOOP FASTENERS. THE OVERALL HEIGHT AND WIDTH DIMENSIONS ARE APPROXIMATELY 12"

CONTAINER UNIT



PALLET UNIT (PALLETIZED 4W X 3H)




PALLET UNIT (PALLETIZED 3W X 4H)

DETAILS

STORAGE IN 81'-0" IGLOO

(12'-9" HIGH)


ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	2,591
EXPLOSIVE WEIGHT W/HE WHD - - - - -	35,756 LBS
W/INERT WHD - - - - -	14,769 LBS



INTERMEDIATE DUNNAGE, 1" X 4" BY LENGTH TO SUIT. REQUIRED EVERY THIRD LAYER. SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

SEE GENERAL NOTE "F" ON PAGE 2.

NUMBERS INDICATE BOXES PER LAYER.



WEDGE, 9'-0" (3 REQD PER STACK). SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

SEE GENERAL NOTE "H" ON PAGE 2.

WEDGE, 6'-0" (3 REQD PER STACK). SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.


FLOOR DUNNAGE, 2" X 4" BY LENGTH TO SUIT (3 REQD PER STACK). SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

SEE GENERAL NOTE "F" ON PAGE 2.

INDICATES OUTLINE OF DOOR OPENING.

INTERMEDIATE DUNNAGE.

NUMBERS INDICATE BOXES PER LAYER.



SECTION B-B 193 BOXES PER STACK

FLOOR DUNNAGE.

WEDGE, 9'-0"

STORAGE IN 60'-8" IGLOO


(12'-9" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	1,937
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	26,731 LBS
W/INERT WHD - - - - -	11,041 LBS

STORAGE IN 40'-4" IGLOO

(12'-9" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	1,283
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	17,706 LBS
W/INERT WHD - - - - -	7,314 LBS






ISOMETRIC VIEW

(60'-8" IGLOO)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	171	57
2" X 4"	66	44
WEDGE, 9'-0" - - - - -	3 REQD	
WEDGE, 6'-0" - - - - -	3 REQD	
SUBTRACT FIFTEEN (15) LINEAR FEET OF 1" X 4" LUMBER WHEN TWENTY-FIVE (25) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.		




STORAGE IN 81'-2" MAGAZINE

(12'-1-3/4" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	2,338
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	32,265 LBS
W/INERT WHD - - - - -	13,327 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW
(81'-2" MAGAZINE)




FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	156	52
2" X 4"	63	42
WEDGE, 9'-0" - - - - -	3 REOD	
WEDGE, 6'-0" - - - - -	3 REOD	

SUBTRACT EIGHTEEN (18) LINEAR FEET OF 1" X 4" LUMBER WHEN FOURTEEN (14) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.

STORAGE IN 80'-0" MAGAZINE

(12'-1-3/4" HIGH)




STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES (UNPALLETIZED)

STORAGE IN 40'-0" MAGAZINE

(12'-1-3/4" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	1,144
EXPLOSIVE WEIGHT W/HE WHD - - - - -	15,788 LBS
W/INERT WHD - - - - -	6,521 LBS






ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	153	51
2" X 4"	63	42
WEDGE, 9'-0" - - - - -	3 REOD	
WEDGE, 6'-0" - - - - -	3 REOD	
SUBTRACT TWENTY-ONE (21) LINEAR FEET OF 1" X 4" LUMBER WHEN FOURTEEN (14) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.		

STORAGE IN 80'-0" MAGAZINE

(11'-0" HIGH)




STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES (UNPALLETIZED)

STORAGE IN 40'-0" MAGAZINE

(11'-0" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	948
EXPLOSIVE WEIGHT W/HE WHD - - - - -	13,083 LBS
W/INERT WHD - - - - -	5,404 LBS



ISOMETRIC VIEW
(40'-0" MAGAZINE)


FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	123	41
2" X 4"	57	38
WEDGE, 9'-0" - - - - -	3 REQD	
WEDGE, 6'-0" - - - - -	3 REQD	
SUBTRACT EIGHTEEN (18) LINEAR FEET OF 1" X 4" LUMBER WHEN SIX (6) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.		

STORAGE IN 80'-0" MAGAZINE


(10'-0" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	1,721
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	23,750 LBS
W/INERT WHD - - - - -	9,810 LBS



INTERMEDIATE DUNNAGE, 1" X 4" BY LENGTH TO SUIT. REQUIRED EVERY THIRD LAYER. SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

NUMBERS INDICATE BOXES PER LAYER.



SEE GENERAL NOTE "F" ON PAGE 2.

WEDGE, 9'-0" (3 REQD PER STACK). SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

WEDGE, 6'-0" (3 REQD PER STACK) SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.


FLOOR DUNNAGE, 2" X 4" BY LENGTH TO SUIT. (3 REQD PER STACK.) SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

INDICATES OUTLINE OF DOOR OPENING.

NUMBERS INDICATE BOXES PER LAYER.

INTERMEDIATE DUNNAGE, 1" X 4" BY LENGTH TO SUIT. REQUIRED EVERY THIRD LAYER.

SEE GENERAL NOTE "F" ON PAGE 2.




STORAGE PROCEDURES IN 80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES (UNPALLETIZED)

STORAGE IN 40'-0" MAGAZINE

(10'-0" HIGH)




ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	857
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	11,827 LBS
W/INERT WHD - - - - -	4,885 LBS



ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	102	34
2" X 4"	60	40
WEDGE, 9'-0" - - - - -	3 REQD	
WEDGE, 6'-0" - - - - -	3 REQD	




STORAGE IN 80'-0" STRADLEY MAGAZINE

(14'-0" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	3,148
EXPLOSIVE WEIGHT W/HE WHD - - - - -	43,443 LBS
W/INERT WHD - - - - -	17,944 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW


(80'-0" STRADLEY MAGAZINE)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)

LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	222	74
2" X 4"	66	44
WEDGE, 9'-0" - - - - -	3 REQD	
WEDGE, 6'-0" - - - - -	3 REQD	

SUBTRACT THIRTY (30) LINEAR FEET OF 1" X 4" LUMBER WHEN TWENTY (20) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.



PLAN VIEW


(89'-0" OVAL-ARCH MAGAZINE)

FLOOR DUNNAGE, 2" X 4" BY LENGTH TO SUIT (3 REED PER STACK). SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

SEE GENERAL NOTE "F" ON PAGE 2.

INTERMEDIATE DUNNAGE, 1" X 4" BY LENGTH TO SUIT. REQUIRED EVERY THIRD LAYER. SEE "PLACEMENT OF DUNNAGE" DETAIL ON PAGE 64.

NUMBERS INDICATE BOXES PER LAYER.



SECTION N-N


264 BOXES PER STACK

INDICATES OUTLINE OF DOOR OPENING.

SEE GENERAL NOTE "F" ON PAGE 2.

INTERMEDIATE DUNNAGE.

NUMBERS INDICATE BOXES PER LAYER.



SECTION O-O

244 BOXES PER STACK


FLOOR DUNNAGE.

STORAGE IN 89'-0" OVAL-ARCH MAGAZINE

(14'-4" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	3,412
EXPLOSIVE WEIGHT W/HE WHD - - - - -	47,086 LBS
W/INERT WHD - - - - -	19,449 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ACCESS AISLE.

INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.

INTERMEDIATE DUNNAGE.

FLOOR DUNNAGE.

SEE GENERAL
NOTE "H"
ON PAGE 2.



ISOMETRIC VIEW




(89'-0" OVAL-ARCH MAGAZINE)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK)

LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	222	74
2" X 4"	66	44

SUBTRACT THIRTY (30) LINEAR FEET OF 1" X 4" LUMBER WHEN TWENTY (20) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.




STORAGE IN 89'-0" STEEL-ARCH MAGAZINE

(13'-6" HIGH)

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	2,907
EXPLOSIVE WEIGHT W/HE WHD - - - - -	40,117 LBS
W/INERT WHD - - - - -	16,570 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW

(89'-0" STEEL-ARCH MAGAZINE)

FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.


BILL OF MATERIAL (PER STACK)

LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	174	58
2" X 4"	66	44

SUBTRACT EIGHTEEN (18) LINEAR FEET OF 1" X 4" LUMBER WHEN EIGHTEEN (18) BOXES ARE OMITTED FROM A STACK ADJACENT TO THE FRONT OF A MAGAZINE. SEE GENERAL NOTE "H" ON PAGE 2.


STORAGE IN 52'-0" DIA MAGAZINE

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	2,347
EXPLOSIVE WEIGHT W/HE WHD - - - - -	32,389
W/INERT WHD - - - - -	13,378



PLAN VIEW
(52'-0" DIA MAGAZINE)

STORAGE PROCEDURES IN 52'-0" DIA CORBETTA MAGAZINE (UNPALLETIZED)



FOR "GENERAL NOTES" AND "MATERIAL SPECIFICATIONS", SEE PAGE 2.

BILL OF MATERIAL (PER STACK OF 571 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	483	161
2' X 4"	141	94

BILL OF MATERIAL (PER STACK OF 493 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	405	135
2' X 4"	129	86



BILL OF MATERIAL (PER STACK OF 333 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	264	88
2' X 4"	102	68

BILL OF MATERIAL (PER STACK OF 64 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	39	13
2' X 4"	33	22

BILL OF MATERIAL (PER STACK OF 60 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	36	12
2' X 4"	33	22

SPECIAL NOTES:

1. THE STORAGE PROCEDURES SHOWN ARE FOR A 52'-0" DIAMETER CORBETTA MAGAZINE. THE NUMBER OF BOXES PER STACK STARTING FROM REAR OF MAGAZINE TOWARD THE DOOR ARE 64, 333, 493, 571, 493, 333, AND 60.
2. AN ACCESS AISLE MUST BE PROVIDED BETWEEN THE STACKS AND THE RIGHT WALL OF THE MAGAZINE. BOXES MAY BE OMITTED TO PROVIDE FOR THIS REQUIREMENT.




STORAGE PROCEDURES IN 100'-8" L X 50'-0" W RECTANGULAR MAGAZINE (UNPALLETIZED)

**STORAGE IN 100'-8" X 50'-0"
RECTANGULAR MAGAZINE**

ITEM	QUANTITY
WIREBOUND BOX (W/MISSILE) - - - - -	7,080
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	97,704 LBS
W/INERT WHD - - - - -	40,356 LBS

ACCESS AISLE.
SEE GENERAL
NOTE "G" ON
PAGE 2.

SEE GENERAL NOTE
"D" ON PAGE 2.



INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.

ISOMETRIC VIEW

(100'-8" X 50'-0" MAGAZINE)

**FOR "GENERAL NOTES" AND "MATERIAL
SPECIFICATIONS", SEE PAGE 2.**

BILL OF MATERIAL (PER STACK OF 288 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	216	72
2" X 4"	72	48

BILL OF MATERIAL (PER STACK OF 564 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	423	141
2" X 4"	141	94


BILL OF MATERIAL (PER STACK OF 312 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	288	96
2" X 4"	72	48

BILL OF MATERIAL (PER STACK OF 611 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	564	188
2" X 4"	141	94

BILL OF MATERIAL (PER STACK OF 294 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	252	84
2" X 4"	63	42



BILL OF MATERIAL (PER STACK OF 602 BOXES)		
LUMBER	LINEAR FEET	BOARD FEET
1" X 4"	516	172
2" X 4"	129	86

STORAGE IN 81'-0" IGLOO



ITEM	QUANTITY
PALLET UNIT - - - - -	172
WIREBOUND BOX (W/MISSILE) - - - - -	2,064
EXPLOSIVE WEIGHT W/HE WHD - - - - -	28,484 LBS
W/INERT WHD - - - - -	11,765 LBS

SEE GENERAL NOTE "D" ON PAGE 2.



STORAGE PROCEDURES IN

81'-0", 60'-8" AND 40'-4" L X 26'-6" W X 12'-9" H IGLOO MAGAZINES (PALLETIZED 4 W X 3 H)

STORAGE IN 60'-8" IGL00


(12'-9" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	127
WIREBOUND BOX (W/MISSILE) - - - - -	1,524
EXPLOSIVE WEIGHT W/HE WHD - - - - -	21,032 LBS
W/INERT WHD - - - - -	8,687 LBS

STORAGE IN 40'-4" IGL00

(12'-9" HIGH)


ITEM	QUANTITY
PALLET UNIT - - - - -	82
WIREBOUND BOX (W/MISSILE) - - - - -	984
EXPLOSIVE WEIGHT W/HE WHD - - - - -	13,580 LBS
W/INERT WHD - - - - -	5,609 LBS



FOR "GENERAL NOTES" SEE PAGE 2.

SPECIAL NOTE:

IGLOO STORAGE PROCEDURES FOR PALLET UNITS OF 4 W BY 3 H CONFIGURATION WILL REQUIRE MAGAZINES WITH DOUBLE DOORS. THIS IS A MANDATORY REQUIREMENT.



STORAGE PROCEDURES IN


81'-2" L X 26'-6" W X 12'-1-3/4" H ARCH TYPE MAGAZINE (PALLETIZED 4 W X 3 H)

STORAGE IN 81'-2" MAGAZINE

(12'-1-3/4" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	152
WIREBOUND BOX (W/MISSILE) - - - - -	1,824
EXPLOSIVE WEIGHT W/HE WHD - - - - -	25,172 LBS
W/INERT WHD - - - - -	10,397 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.




ISOMETRIC VIEW
(81'-2" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.


STORAGE IN 80'-0" MAGAZINE

(12'-1-3/4" HIGH)




ITEM	QUANTITY
PALLET UNIT	- - - - -150
WIREBOUND BOX (W/MISSILE)	- - - - -1,800
EXPLOSIVE WEIGHT	
W/HE WHD	- - - - -24,840 LBS
W/INERT WHD	- - - - -10,260 LBS

SEE GENERAL NOTE "F" ON PAGE 2.



INDICATES OUTLINE OF DOOR OPENING.

SEE GENERAL NOTE "F" ON PAGE 2.




STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES (PALLETIZED 4 W X 3 H)

STORAGE IN 40'-0" MAGAZINE

(12'-1-3/4" HIGH)




ITEM	QUANTITY
PALLET UNIT - - - - -	72
WIREBOUND BOX (W/MISSILE) - - - - -	864
EXPLOSIVE WEIGHT W/HE WHD - - - - -	11,924 LBS
W/INERT WHD - - - - -	4,925 LBS



ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.

STORAGE IN 80'-0" MAGAZINE




STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES (PALLETIZED 4 W X 3 H)

STORAGE IN 40'-0" MAGAZINE

(11'-0" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	59
WIREBOUND BOX (W/MISSILE) - - - - -	708
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	9,771 LBS
W/INERT WHD - - - - -	4,036 LBS






ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.

STORAGE IN 80'-0" MAGAZINE

(10'-0" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	103
WIREBOUND BOX (W/MISSILE) - - - - -	1,236
EXPLOSIVE WEIGHT W/HE WHD - - - - -	17,057 LBS
W/INERT WHD - - - - -	7,046 LBS




STORAGE PROCEDURES IN
80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES (PALLETIZED 4 W X 3 H)

STORAGE IN 40'-0" MAGAZINE

(10'-0" HIGH)


ITEM	QUANTITY
PALLET UNIT - - - - -	49
WIREBOUND BOX (W/MISSILE) - - - - -	588
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	8,115 LBS
W/INERT WHD - - - - -	3,352 LBS



ISOMETRIC VIEW

(40'-0" MAGAZINE)


FOR "GENERAL NOTES" SEE PAGE 2.



PLAN VIEW

(80'-0" STRADLEY MAGAZINE)


SEE GENERAL NOTE "F" ON PAGE 2.



SECTION L1-L1

INDICATES OUTLINE OF DOOR OPENING.

SEE GENERAL NOTE "F" ON PAGE 2.




SECTION M1-M1

STORAGE IN 80'-0" STRADLEY MAGAZINE

(14'-0" HIGH)




ITEM	QUANTITY
PALLET UNIT - - - - -	200
WIREBOUND BOX (W/MISSILE) - - - - -	2,400
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	33,120 LBS
W/INERT WHD - - - - -	13,680 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW
(80'-0" STRADLEY MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.




PAGE 36 **89'-0" L X 24'-10" W X 14'-4" H OVAL-ARCH MAGAZINE (PALLETIZED 4 W X 3 H)**

STORAGE IN 89'-0" OVAL-ARCH MAGAZINE

(14'-4" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	217
WIREBOUND BOX (W/MISSILE) - - - - -	2,604
EXPLOSIVE WEIGHT W/HE WHD - - - - -	35,936 LBS
W/INERT WHD - - - - -	14,843 LBS




SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW

(89'-0" OVAL-ARCH MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.




STORAGE IN 89'-0" STEEL-ARCH MAGAZINE

(13'-6" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	179
WIREBOUND BOX (W/MISSILE) - - - - -	2,148
EXPLOSIVE WEIGHT W/HE WHD - - - - -	29,642 LBS
W/INERT WHD - - - - -	12,244 LBS


SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW


(89'-0" STEEL-ARCH MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.





PLAN VIEW
 (52'-0" DIA MAGAZINE)

SEE GENERAL NOTE
"F" ON PAGE 2.



SECTION S1-S1


FOR "GENERAL NOTES" SEE PAGE 2.



**STORAGE IN 100'-8" X 50'-0"
RECTANGULAR MAGAZINE**

ITEM	QUANTITY
PALLET UNIT - - - - -	480
WIREBOUND BOX (W/MISSILE) - - - - -	5,760
EXPLOSIVE WEIGHT W/HE WHD - - - - -	79,488 LBS
W/INERT WHD - - - - -	32,832 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.

ISOMETRIC VIEW


(100'-8" X 50'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.

STORAGE IN 81'-0" IGLOO


(12'-9" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	149
WIREBOUND BOX (W/MISSILE)- - - - -	1,788
EXPLOSIVE WEIGHT W/HE WHD - - - - -	24,675 LBS
W/INERT WHD- - - - -	10,192 LBS




SEE GENERAL NOTE
"D" ON PAGE 2.

ACCESS AISLE.



INDICATES OUTLINE
OF DOOR OPENING.



STORAGE PROCEDURES IN

81'-0", 60'-8" AND 40'-4" L X 26'-6" W X 12'-9" H IGLOO MAGAZINES (PALLETIZED 3 W X 4 H)

STORAGE IN 60'-8" IGL00


(12'-9" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	110
WIREBOUND BOX (W/MISSILE) - - - - -	1,320
EXPLOSIVE WEIGHT W/HE WHD - - - - -	18,216 LBS
W/INERT WHD - - - - -	7,524 LBS

STORAGE IN 40'-4" IGL00

(12'-9" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	71
WIREBOUND BOX (W/MISSILE) - - - - -	852
EXPLOSIVE WEIGHT W/HE WHD - - - - -	11,758 LBS
W/INERT WHD - - - - -	4,857 LBS






MHE OPERATING AREA.
ADDITIONAL UNITS
MAY BE STORED IN
THIS AREA; ONE (1)
UNIT HIGH WITH A
PALLET JACK OR
STACKED TWO (2)
UNITS HIGH IF THE
PROPER TYPE OF
MHE IS AVAILABLE.

ISOMETRIC VIEW

(60'-8" IGL00)

FOR "GENERAL NOTES" SEE PAGE 2.




STORAGE PROCEDURES IN
81'-2" L X 26'-6" W X 12'-1-3/4" H ARCH TYPE MAGAZINE (PALLETIZED 3 W X 4 H)

STORAGE IN 81'-2" MAGAZINE

(12'-1-3/4" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	152
WIREBOUND BOX (W/MISSILE) - - - - -	1,824
EXPLOSIVE WEIGHT W/HE WHD - - - - -	25,172 LBS
W/INERT WHD - - - - -	10,397 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.


ACCESS AISLE.

ISOMETRIC VIEW
(81'-2" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.

STORAGE IN 80'-0" MAGAZINE

(12'-1-3/4" HIGH)




ITEM	QUANTITY
PALLET UNIT- - - - -	141
WIREBOUND BOX (W/MISSILE)- - - - -	1,692
EXPLOSIVE WEIGHT W/HE WHD - - - - -	23,350 LBS
W/INERT WHD- - - - -	9,645 LBS

PLAN VIEW
(80'-0" MAGAZINE)

SEE GENERAL NOTE "D" ON PAGE 2.


SEE GENERAL NOTE "F" ON PAGE 2.



SECTION E2-E2

INDICATES OUTLINE OF DOOR OPENING.

SEE GENERAL NOTE "F" ON PAGE 2.



SECTION F2-F2


STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 12'-1-3/4" H ARCH TYPE MAGAZINES (PALLETIZED 3 W X 4 H)

STORAGE IN 40'-0" MAGAZINE

(12'-1-3/4" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	69
WIREBOUND BOX (W/MISSILE) - - - - -	828
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	11,427 LBS
W/INERT WHD - - - - -	4,720 LBS




ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.



STORAGE IN 80'-0" MAGAZINE

(11'-0" HIGH)



ITEM	QUANTITY
PALLET UNIT - - - - -	130
WIREBOUND BOX (W/MISSILE) - - - - -	1,560
EXPLOSIVE WEIGHT W/HE WHD - - - - -	21,528 LBS
W/INERT WHD - - - - -	-8,892 LBS

ACCESS AISLE.




STORAGE PROCEDURES IN

80'-0" AND 40'-0" L X 25'-0" W X 11'-0" H ARCH TYPE MAGAZINES (PALLETIZED 3 W X 4 H)

STORAGE IN 40'-0" MAGAZINE

(11'-0" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	64
WIREBOUND BOX (W/MISSILE) - - - - -	-768
EXPLOSIVE WEIGHT W/HE WHD - - - - -	10,599 LBS
W/INERT WHD - - - - -	4,378 LBS




ISOMETRIC VIEW
(40'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.


STORAGE IN 80'-0" MAGAZINE

(10'-0" HIGH)




ITEM	QUANTITY
PALLET UNIT	117
WIREBOUND BOX (W/MISSILE)	1,404
EXPLOSIVE WEIGHT W/HE WHD	19,376 LBS
W/INERT WHD	8,003 LBS

ACCESS AISLE.



SECTION J2-J2




SECTION K2-K2

STORAGE PROCEDURES IN 80'-0" AND 40'-0" L X 25'-0" W X 10'-0" H ARCH TYPE MAGAZINES (PALLETIZED 3 W X 4 H)

STORAGE IN 40'-0" MAGAZINE

(10'-0" HIGH)


ITEM	QUANTITY
PALLET UNIT - - - - -	57
WIREBOUND BOX (W/MISSILE) - - - - -	684
EXPLOSIVE WEIGHT W/HE WHD - - - - -	9,440 LBS
W/INERT WHD - - - - -	3,899 LBS




ISOMETRIC VIEW

(40'-0" MAGAZINE)


FOR "GENERAL NOTES" SEE PAGE 2.



SEE GENERAL NOTE "F" ON PAGE 2.



SEE GENERAL NOTE "F" ON PAGE 2.




STORAGE IN 80'-0" STRADLEY MAGAZINE

(14'-0" HIGH)




ITEM	QUANTITY
PALLET UNIT - - - - -	212
WIREBOUND BOX (W/MISSILE) - - - - -	2,544
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	35,108 LBS
W/INERT WHD - - - - -	14,501 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ISOMETRIC VIEW
(80'-0" STRADLEY MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.




PAGE 56 STORAGE PROCEDURES IN 89'-0" L X 24'-10" W X 14'-4" H OVAL-ARCH MAGAZINE (PALLETIZED 3 W X 4 H)

STORAGE IN 89'-0" OVAL-ARCH MAGAZINE

(14'-4" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	229
WIREBOUND BOX (W/MISSILE) - - - - -	2,748
EXPLOSIVE WEIGHT W/HE WHD - - - - -	37,923 LBS
W/INERT WHD - - - - -	15,664 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.






ACCESS AISLE.

INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.

ISOMETRIC VIEW

(89'-0" OVAL-ARCH MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.




STORAGE IN 89'-0" STEEL-ARCH MAGAZINE

(13'-6" HIGH)

ITEM	QUANTITY
PALLET UNIT - - - - -	179
WIREBOUND BOX (W/MISSILE) - - - - -	2,148
EXPLOSIVE WEIGHT W/HE WHD - - - - -	29,642 LBS
W/INERT WHD - - - - -	12,244 LBS

SEE GENERAL NOTE
"D" ON PAGE 2.



ACCESS AISLE.

INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.


ISOMETRIC VIEW

(89'-0" STEEL-ARCH MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.


STORAGE IN 52'-0" DIA MAGAZINE

ITEM	QUANTITY
PALLET UNIT - - - - -	157
WIREBOUND BOX (W/MISSILE) - - - - -	1,884
EXPLOSIVE WEIGHT W/HE WHD - - - - -	26,000
W/INERT WHD - - - - -	10,739





PLAN VIEW
(52'-0" DIA MAGAZINE)

SEE GENERAL NOTE
'F' ON PAGE 2.




SECTION S2-S2

FOR "GENERAL NOTES" SEE PAGE 2.



**STORAGE IN 100'-8" X 50'-0"
RECTANGULAR MAGAZINE**

ITEM	QUANTITY
PALLET UNIT - - - - -	509
WIREBOUND BOX (W/MISSILE) - - - - -	6,108
EXPLOSIVE WEIGHT	
W/HE WHD - - - - -	84,291 LBS
W/INERT WHD - - - - -	34,816 LBS




INSPECTION AISLE.
SEE GENERAL NOTE
"G" ON PAGE 2.

ISOMETRIC VIEW


(100'-8" X 50'-0" MAGAZINE)

FOR "GENERAL NOTES" SEE PAGE 2.



PLACEMENT OF DUNNAGE

NOTE: THE SPLICING OF 2" X 4" OR 1" X 4" DUNNAGE WITHIN A STACK SHOULD BE STAGGERED A MINIMUM OF 24".



WEDGE DETAIL
2" X 4" MATERIAL

DETAILS