


**STORAGE IN STRADLEY MAGAZINE OF
CBU ITEMS PACKED IN XM468 CONTAINER**


STORAGE IN STRADLEY MAGAZINE OF CBU ITEMS PACKED IN XM468 CONTAINER			
DRAPPEMAN J. D. S.	TRACER	EXAMINED DIW / 406	SUBMITTED <i>Robert M. McKinstry</i>
CHECKER RHA/gwp	CHECKED	RECORDED	EXAMINED COLONEL ORDN. CORPS U.S.A.
REVISIONS			EXAMINED <i>R. E. Orrick</i>
			APPROVED BY CHIEF OF THE CHIEF OF ORDNANCE <i>John P. Frick</i>
			ORDNANCE CORPS U.S.A.
			7 MAY 1962
			CLASS DIVISION DRAWING FILE
			19 48 7024 SP 14M2

DO NOT SCALE



● HUMIDITY INDICATORS. SEE GENERAL NOTE "D".


SEE GENERAL NOTE "C".



METHOD "A"

STORAGE AS SHOWN
80' STRADLEY MAGAZINE

CONTAINERS (W/CBU ITEMS) - 195



ISOMETRIC VIEW

GENERAL NOTES


- A. FOR DETAIL OF CONTAINER SEE DRAWING NO. 8845909. CONTAINER DIMENSIONS - 135" LONG x 30" WIDE x 29 1/2" HIGH. GROSS WEIGHT - 1,253 POUNDS. CU-97.3.
- B. AS REQUIRED TO CREATE VERTICAL STACKS, WOOD SHIMS (REF: 3" THICK), SKID LENGTH, WILL BE USED UNDER THE TWO LOW SIDE SKIDS ON EACH BOTTOM CONTAINER.
- C. ADDITIONAL CONTAINERS MAY BE STORED IF VOLUME PERMITS. STORED CONTAINERS MUST NOT CONTACT WALLS OF MAGAZINE.
- D. HUMIDITY INDICATORS WILL FACE INSPECTION AISLE.
- E. AISLE DIMENSIONS SHOWN HEREIN MAY BE ADJUSTED TO SUIT LOCAL CONDITIONS AND/OR AVAILABLE VME.
- F. STORAGE AS SHOWN HEREIN CAN BE ACCOMPLISHED BY HANDLING CONTAINERS WITH A FORK LIFT TRUCK, AS DEPICTED ON PAGES 2 AND 3 BY FILLING APPROXIMATELY ONE HALF THE WIDTH OF THE MAGAZINE BY HANDLING CONTAINERS FROM THE SIDE WITH STANDARD FORKS AND BY FILLING REMAINING VOLUME BY HANDLING CONTAINERS FROM THE END WITH AN OVERHEAD BOOM ATTACHMENT OR WITH SIX FOOT FORK EXTENSIONS, AND AS DEPICTED ON PAGE 4 BY HANDLING ALL CONTAINERS FROM THE SIDE WITH STANDARD FORKS OR WITH AN OVERHEAD BOOM ATTACHMENT.
- G. SELECTION OF STORAGE METHOD (1" A", PAGES 2 AND 3 OR "E", PAGE 4), BY LOCAL AUTHORITY IS DEPENDENT ON AVAILABLE MATERIAL HANDLING EQUIPMENT AND IN-STORAGE MONITORING REQUIREMENTS; METHOD "E" PREFERRED.

MATERIAL SPECIFICATIONS

LUMBER: SEE PARAGRAPH 5400, ORDM 3-4, VOL 2.

METHOD "A"


STORAGE AS SHOWN
80' STRADLEY MAGAZINE



CONTAINERS
(#/CBU ITEMS) - 229

④ HUMIDITY INDICATOR.
SEE GENERAL NOTE "D", PAGE 3.

PLAN VIEW



SECTION "A-A"

9 CONTAINERS PER STACK

METHOD "B"