STORAGE IN 60' & 80' IGLOO AND 80' STRADLEY MAGAZINES OF CBU ITEMS PACKED IN THE CNU-79/E CONTAINER®


INDEX


<u>ITEM</u>	PAGE(S)
GENERAL NOTES, AND MATERIAL	SPECIFICATIONS3
IGLOO STORAGE PROCEDURES	2,3
STRADLEY STORAGE PROCEDURE	S 4,5

 THIS DOCUMENT INCLUDES PROCEDURES APPLICABLE FOR BOTH THE 104" AND 116" LONG CONTAINERS.

areding	31/2	SUBMITTED	PJ S	ch			ĴĒ
<u>Handing Officer. Bavañna arnit befot</u>	COMMEN			**	All of the control of	/JDS	BH
EXAMINED AND APPROVED			REVISIONS				
Why Hall BUPPLY AGENCY	AMMONI		P. Qui	SKH KH	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 JUNE 6	1
CONMANGING GENERAL BHAND	Y ORDER OF CO	U. E. ARREY					
<u> 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 </u>	کمسند	7 ₹					
MATERIEL COMMAND	ARMY M	U. S.					
GUST 1967	7 AUG						_
DRAWING FILE	DIVISION	CLASS					
7035 SPH4MI	48	10					
1035 SEFIMI	40	19				1	

DO NOT SCALE





REVISIONS

REVISION NO. 1, DATED 30 JUNE 1969, CONSISTS OF:

ADDING PROCEDURES, BY GENERAL NOTES, TO INCLUDE STORAGE OF THE 104" LONG CONTAINER.

(60' IGLOO)


- A. THIS DOCUMENT HAS BEEN PREPARED AND ISSUED IN ACCORDANCE WITH AMCR 740-13, AND AUGMENTS TM 743-200-1 (CHAPTER 5).
- 8. THE 116" LONG CNU-79/E CONTAINER HAS BEEN DEPICTED WITHIN ALL STORAGE VIEWS. HOWEVER, THESE PROCEDURES ARE ALSO APPLICABLE FOR THE STORAGE OF THE 104" LONG CONTAINER. SEE GENERAL NOTES "D" AND "K"
- C. FOR DETAILS OF THE 116" LONG CONTAINER SEE DRAWING NO. 8887105.


CONTAINER DIMENSIONS --- 116" LONG X 31-1/2" WIDE X 31" HIGH. GROSS WEIGHT ------------------1,600 POUNDS (APPROX).

- D. FOR DETAILS OF THE 104" LONG CONTAINER SEE DRAWING NO. 9204363. CONTAINER DIMENSIONS --- 104" LONG X 31-1/2" WIDE X 31" HIGH. GROSS WEIGHT ------1,656 POUNDS (APPROX).
- E. AISLE DIMENSIONS SHOWN HEREIN MAY BE ADJUSTED TO SUIT LOCAL CONDI-TIONS AND/OR AVAILABLE MATERIALS HANDLING EQUIPMENT (MHE); HOWEVER, A TWENTY-FOUR INCH (24") (MINIMUM) INSPECTION AISLE IS REQUIRED AT THE END OF THE CONTAINER WHERE THE HUMIDITY INDICATOR IS LOCATED.
- F. IF THE AVAILABLE MHE PERMITS, ADDITIONAL CNU-79/E CONTAINERS WITH ITEMS MAY BE STORED WITHIN THE FRONTAL AREA OF THE IGLOO MAGAZINE.
- AS REQUIRED TO CREATE VERTICAL STACKS, WOOD SHIMS (REF: 1/4" THICK BY SKID LENGTH) MAY BE USED UNDER THE TWO LOW SIDE SKIDS OF THE BOTTOM CONTAINER IN EACH OF THE ROWS AT THE SIDE OF A MAGAZINE.
- H. LOTS WILL NOT BE MIXED, BUT ONLY TO THE EXTENT THAT ITEMS OF ONE LOT WILL NOT BE STACKED ON TOP OF ITEMS FROM ANOTHER LOT.
- IF DESIRED, AN EIGHTEEN INCH (18") LATERAL AISLE MAY BE LOCATED NEAR THE MIDPOINT WITHIN THE ROW OF CROSSWISE POSITIONED CONTAINER STACKS, TO PROVIDE AN ACCESS AISLE BETWEEN OPPOSITE SIDES OF THE MAGAZINE.
- WHEN STORING THE 104" LONG CONTAINER, THE STORAGE QUANTITY IN A 60' OR 80' IGLOO MAGAZINE CAN BE INCREASED BY TEN (10) CONTAINERS; 60' OR 80' IGLOO MAGAZINE CAN BE INCREASED BY TEN (10) CONTAINERS; THE STORAGE QUANTITY IN A STRADLEY MAGAZINE CAN BE INCREASED BY SIXTEEN (16) CONTAINERS. THIS CAN BE ACCOMPLISHED BY STARTING THE LENGTHMISE POSITIONED STACKS, WHICH ARE ALONG THE SIDES OF A MAGAZINE, WITH THE HUMIDITY-INDICATOR-END OF THE CONTAINERS IN THE FIRST STACK TOWARD THE REAR WALL. PROVIDE A 24" AISLE BETWEEN THE CONTAINER STACK AND THE REAR WALL FOR INSPECTION PURPOSES. FORM BACK-TO-BACK STACKS THROUGHOUT THE LENGTH OF THE MAGAZINE, CHANGING THE INSPECTION AISLES TO 24" AT ALL PLACES.
- MXED STORAGE OF THE 104" LONG AND 116" LONG CONTAINERS IS PERMITTED, BUT NOT WITHIN ANY ONE CONTAINER STACK.

IGLOO STORAGE PROCEDURES

PAGE 3






STRADLEY STORAGE PROCEDURES

PAGE 4

STORAGE AS SHOWN 80' STRADLEY

CNU-79/E CONTAINER ------ 257 #

* SEE GENERAL NOTE "K" ON PAGE 3.



STRADLEY STORAGE PROCEDURES

PAGE 5