
NIKE — A JAX NIKE — HERCULES

STORAGE IN 60' & 80' IGLOO MAGAZINE OF IGNITER, ROCKET MOTOR, M24, M65, AND/OR M69 PACKED I8 PER WOODEN BOX


FA	P XP/R]	B.B.	abra	THIMA ARET SEPOT		
REVISIONS			andrem w. Stil					
1	I APR 00 1	awais	1 u	Undrem W. XIX				
			N. S. A.					
				the housant				
Г			U. S. ARMY MATERIEL COMMAND					
				14 JULY 1954				
			a.ws	DIVISION	Elevanos	PILE		
			19	48	5001	GMIA3		
			שיו [

DO NOT SCALE




STORAGE AS SHOWN 60' IGLOO

- MAX "A" STACKS, 44 EACH ----- 3,256 BOXES
- MAX "B" STACKS, 44 EACH ----- 2,908 BOXES
 MAX EXPL "A" STACKS ------ 128,937.6 LBS
 MAX EXPL "B" STACKS ------ 114,998.4 LBS



ISOMETRIC VIEW



WEDGES WILL BE POSITIONED UNDER EACH JOINT BETWEEN STACKS.

В	ILL OF MATE	ERIAL (PER ST	ACK)	
STACK	LUMBER	LINEAL FEET	BOARD FEET	
"A"	1" X 2" 2" X 2"	27-1/4 32-1/2	4-2/3 11	
	WEDGES	AS REQD		
11 gri	1" X 2" 2" X 2"	21-2/3 27-1/4	3-2/3 10	
Ī	WEDGES	AS REQD		

MATERIAL SPECIFICATIONS

LUMBER: - - - FED SPEC MM-L-751

GENERAL NOTES

- FOR DETAIL OF BOX SEE DRAWING NO. 8026208.
 - BOX DIMENSIONS --- 25-1/8" LONG X 16-1/4" WIDE X 17-1/8" HIGH. GROSS WEIGHT ---- 202 LBS (APPROX). EXPLOSIVE WEIGHT 39.6 LBS.

81 (APPROX)

- B. LARGEST LOT WILL BE STORED IN REAR OF MAGAZINE USING TYPE "A" STACKS.
 A 3" SEPARATION WILL BE LEFT BETWEEN LOTS WHEN STORING TYPE "B"
 STACKS WHICH MAY CONSIST OF ONE OR MORE LOTS.
- C. THIS ITEM IS QD CLASS 7 COMPATIBILITY GROUP O.
- D. AISLE DIMENSIONS SHOWN HEREIN MAY BE ADJUSTED TO SUIT LOCAL CON-DITIONS AND/OR AVAILABLE MATERIAL HANDLING EQUIPMENT.
- E. STORED BOXES <u>MUST NOT</u> CONTACT WALLS OF IQLOO. TO <u>PROVIDE MANDATORY</u> CLEARANCE, BOXES MAY BE ELIMINATED FROM DEPICTED STACK PATTERNS, AS REQUIRED.
- F. <u>CAUTION:</u> A SINGLE STACK <u>MUST NOT</u> BE STACKED MORE THAN FOUR (4) BOXES HIGH WITHOUT BEING TIED INTO AN ADJACENT STACK WITH INTER-MEDIATE DUNNAGE.

REVISION

REV NO. 3, 1 APR 66, CHANGE IN MATERIAL SPECIFICATIONS, GENERAL NOTES AND TITLE.

	 	 	 		
					¥
				4	
*					
- 14 m					
			•		

}					